



Matching fishery-specific drivers of abandoned, lost and discarded fishing gear to relevant interventions

Eric Gilman^{a,*}, Jenn Humberstone^b, Jono R. Wilson^{b,c}, Emmanuel Chassot^d, Alexis Jackson^b, Petri Suuronen^e

^a The Safina Center, USA; and Heriot-Watt University, UK

^b The Nature Conservancy, California Oceans Program, USA

^c Bren School of Environmental Science & Management, University of California Santa Barbara, USA

^d Indian Ocean Tuna Commission, Seychelles

^e Natural Resources Institute Finland (Luke), Finland

ARTICLE INFO

Keywords:

Abandoned, lost and discarded fishing gear
ALDFG
Ghost fishing
Marine debris
Plastic pollution

ABSTRACT

There has been increasing recognition of the need to address adverse ecological and socioeconomic effects of abandoned, lost and discarded fishing gear (ALDFG). This component of marine debris has been progressively problematic over recent decades with the rapid expansion of global fisheries' footprint and effort, and the transition to synthetic and more durable materials for gear components. ALDFG drivers and consequences vary substantially by gear type, region, scale and individual fishery within these and other broad categories, including by the robustness of the fisheries management framework and influence of market-based incentives. Therefore, relevant interventions to avoid, minimize and remediate ALDFG depend on the fishery-specific context. This study compiled comprehensive, cross-referenced databases of causes of ALDFG production, and mitigation methods and enabling conditions for effective ALDFG management. Management interventions were categorized within a sequential mitigation hierarchy, where approaches to avoid and minimize ALDFG production and adverse consequences are considered before potentially less effective and more costly interventions for remediation and offsets. The linked databases enable discovery of the most promising ALDFG mitigation methods and priority fisheries management improvements so that a broader range of ALDFG policy interventions can be tapped. Illustrative case studies of ALDFG drivers and interventions were explored for gillnet, pelagic longline, trap and anchored fish aggregating device fisheries. By enabling stakeholders to identify the subset of alternative interventions that are relevant to fishery-specific ALDFG drivers and enabling conditions, the cross-referenced databases guide the allocation of resources to mitigate this especially problematic component of global marine litter.

1. Introduction

Over the past decade there has been increasing recognition of the need to address adverse ecological and socioeconomic effects of abandoned, lost and discarded fishing gear (ALDFG), also called derelict fishing gear [57,69,74,106,120,191]. There is extremely limited understanding of the life cycle and end-of-life management of fishing gear, trends in the magnitude of ALDFG entering oceans, and the effectiveness of interventions to avoid, minimize and remediate the production and adverse effects of derelict gear [85,117,164].

Unlike other forms of marine debris, derelict fishing gear is designed

to catch marine life. Under certain conditions, derelict gear can continue to catch and kill organisms for years or decades, a phenomenon known as 'ghost fishing' [78,88,111]. This ghost fishing affects vulnerable species across taxonomic groups of cartilaginous and bony fishes, seabirds, marine mammals, reptiles and invertebrates, as well as principal market species [8,174,90]. While ghost fishing is the most studied and politicized adverse consequence of derelict gear, it causes other serious problems. This includes distributing and transferring toxins and microplastics into marine food webs; transporting invasive alien species; distributing microalgae that may cause harmful algal blooms; altering and damaging coastal and marine habitats; obstructing vessel

* Corresponding author.

E-mail address: EricLGilman@icloud.com (E. Gilman).

<https://doi.org/10.1016/j.marpol.2022.105097>

Received 23 November 2021; Received in revised form 10 April 2022; Accepted 4 May 2022

0308-597X/© 2022 The Authors. Published by Elsevier Ltd. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>).

navigation; damaging in-use fishing gear and submarine cables; and reducing the socioeconomic value of coastal and nearshore areas [12,51,52,85,103,120].

Marine macro-, micro- and nano-plastic pollution, including from ALDFG, is a major concern due to its direct adverse impacts on coastal and marine biota and habitats, indirect ecotoxicological impacts across manifestations of marine biodiversity, and risks to humans from seafood contamination [12,63,70,71,85,166]. Annually, about 74% of industrial fisheries lose an estimated 48.4 kt of plastic gear to the global oceans, not including plastic in abandoned and discarded gear [117]. In marine environments below the photic zone, especially on the deep seabed, plastics break down extremely slowly and are predicted to persist for extensive periods, from centuries to millennia and possibly longer [7,12,116].

ALDFG's adverse effects have been increasingly problematic over recent decades with the rapid expansion of the effort and the footprint (area affected and depth fished) of global fisheries, as well as the transition to synthetic, lighter but more durable materials used for fishing gear components [96,147,169,187,194]. ALDFG and other marine debris are produced by the world's ca. 39 million fishers participating in marine capture fisheries with 4.6 million fishing vessels [59].

There are numerous intentional and unintentional causes for gear from marine capture fisheries to be abandoned, lost or discarded, and these causes vary substantially by gear type, region, small- vs. large-scale and individual fishery within these and other broad categories [74,76,78,89,120]. Variability between fisheries in the robustness of their domestic and regional governance frameworks and in market-based incentives for environmental performance is likewise substantial [86,134,151,152,167]. As a result, different interventions to mitigate derelict fishing gear are appropriate for different fisheries. However, there is currently no resource available to identify ALDFG management interventions that are relevant for addressing specific drivers of ALDFG production, similar to a tool developed by the Conservation Evidence initiative, which enables conservation practitioners to link relevant management interventions to specific threats to a species group or habitat [180].

This study develops the foundation to fill this gap for ALDFG. The study enables stakeholders to identify ALDFG mitigation approaches that match their local context, so that interventions address the fishery-specific causes of abandonment, loss and discarding of gear and are viable within the context of the local fisheries' governance and socioeconomic enabling conditions [101,160]. Previous studies identified causes of derelict gear generation [76,121,155,161,162,176,179] and identified and trialed derelict gear mitigation methods [35,74,78,99,120,143]. This study builds on this accumulated body of knowledge by integrating underlying drivers for the production of ALDFG and interventions relevant to specific causes. ALDFG mitigation methods and enabling conditions were categorized within a sequential mitigation hierarchy, allowing stakeholders to identify potentially more effective preventative approaches before considering approaches for remediation and offsets. The study also accounts for requirements for compliance monitoring, commercial viability costs (i.e., economic, practicality and safety costs), and the required degree of incentives from government and market-based rewards and penalties to achieve compliance with the use of alternative ALDFG mitigation methods. The resulting cross-referenced databases guide the allocation of resources for ALDFG management interventions to prevent and reduce this especially problematic component of global marine litter.

2. Methods

The study conducted a targeted, unstructured literature review to compile a comprehensive database of direct drivers (causes) for ALDFG production and interventions to mitigate the abandonment, loss and discarding of gear from marine capture fisheries. We searched the Bycatch Management Information System database of references and

regulations, filtered for ALDFG management (<https://www.bmis-bycatch.org/>), and reviewed reference lists of relevant compiled publications and grey literature. For each intervention, we identified which drivers for the production of derelict gear that it has the capacity to address. We also identified whether the intervention is implemented specifically to manage derelict gear or otherwise is implemented for broad fisheries management purposes but contributes to managing derelict gear.

ALDFG mitigation enabling measures, which are interventions or conditions that incentivize the implementation of ALDFG mitigation measures, were compiled. Enabling conditions that incentivize implementation of practices that mitigate ALDFG are necessary preconditions for effective ALDFG management [101,160]. Enabling measures can be market-based, such as from private fisheries assessment and certification programs, and governance enabling measures, including from command-and-control frameworks of large-scale industrial fisheries and community-based self-governance and co-management frameworks of small-scale fisheries. The governance enabling conditions include robust components of fisheries management frameworks of monitoring, control, surveillance, enforcement and outcomes of enforcement actions, including a broad range of combinations of penalties and rewards that are sufficient to deter noncompliance [21,100,146,177].

ALDFG mitigation measures were categorized within three tiers of an adapted ALDFG sequential mitigation hierarchy. Avoidance methods completely prevent a cause of derelict gear generation within the scope of the intervention. Minimization measures can reduce rates of generating ALDFG or reduce fishing effort, which reduces the magnitude of derelict gear created. Minimization methods can also reduce the adverse effects caused by ALDFG. Remediation methods halt one or more adverse effect of ALDFG. The study scope did not include mitigation methods that involve offsetting residual impacts from ALDFG that were not avoided, minimized and remediated. [Supplemental Material](#) Section S1 reviews potential approaches to offset ALDFG, and Section S3 contains a glossary of acronyms and technical terms, including definitions of the tiers of a sequential ALDFG mitigation hierarchy.

For each mitigation method, the study identified monitoring and surveillance approaches that enable compliance monitoring. Fisheries monitoring methods that can be used for compliance monitoring of one or more ALDFG mitigation method include: at-sea human observers, electronic monitoring, electronic tracking of gear position, and detection of derelict gear that was sighted or recovered when grounded or at sea, including through crowd-sourcing [56,107,139]. Fisheries surveillance approaches relevant to one or more ALDFG mitigation method include: Automatic Identification System (AIS), satellite-based Vessel Monitoring System (VMS), satellite imagery for vessel detection and some gear types, aerial surveillance, dockside inspections, and patrol vessel at-sea boarding and inspection [56,107,184].

The study presents illustrative case studies of causes and alternative interventions for mitigation of ALDFG, some from small-scale fisheries of developing countries, others from large-scale fisheries of developed countries. Case studies are included for: (1) India's gillnet and trammel net fisheries, (2) terminal tackle bite-offs in global hook-and-line fisheries, (3) California's commercial Dungeness crab fishery, and (4) Indonesia's and the Maldives' tuna fisheries using anchored fish aggregating devices (aFADs).

The study scope is on derelict gear generated by marine capture fishing vessels. The scope excluded marine debris from aquaculture and ranching facilities, and pathways for derelict fishing gear to enter the sea other than directly from fishing vessels at sea, such as from fishing harbors and seaports. The scope also excluded non-gear marine debris from fishing vessels, including intentionally-discarded types of garbage that are specific to fishing vessels, such as plastic bags containing salt used to make brine and plastic-lined boxes and plastic packing straps used for frozen bait [47,118]. Furthermore, the study excluded solid and liquid waste that is produced across types of marine vessels, including oil, sewage, cargo nets, anti-fouling paint particles, bilge water and

ballast water [53,163,66].

3. Results - Linked databases of ALDFG drivers and solutions

Table 1 identifies direct drivers of ALDFG production, categorized as resulting in the abandonment, loss or discarding of fishing gear. Of 36 drivers in Table 1, some, such as inclement environmental conditions and sinking of vessels, may occur across all gear types of vessel-based fisheries. Other drivers, however, are applicable to either static or mobile gear types, such as severed buoy lines and abrasion and loss of strands of dolly ropes, respectively. And, some apply only to untended passive gear, such as gear moving position, theft and vandalism.

Drivers vary by fishery, region and gear type and we therefore did not rank drivers according to their relative importance in ALDFG production. However, across fisheries, some drivers, such as the sinking of fishing vessels, are likely to be infrequent and small contributions to ALDFG production. Others, including loss during inclement weather, snagging on submerged features and debris by bottom fisheries, gear conflicts, conflicts with marine vessels, practices by inexperienced new entrants, and the unavailability of affordable and convenient port reception facilities may be relatively important global causes of ALDFG production [120,121,161,162].

Table 2 identifies methods for mitigating derelict fishing gear and enabling measures that provide incentives to implement ALDFG mitigation methods. Table S1 provides illustrative examples for each ALDFG mitigation method, and for some records includes details on the definition of the method. For each mitigation method, the causes for producing derelict gear that it has the capacity to address are identified, hence Tables 1 and 2 are cross-referenced or linked. By using the unique ID of each ALDFG driver, each driver can be related to relevant ALDFG mitigation interventions, and each intervention can be related to relevant drivers.

The subset of methods in Table 2 that would be used specifically to mitigate derelict gear are identified. Other approaches may be employed for multiple applications (e.g., gear designs that reduce ghost fishing rates may also be used to reduce bycatch rates of vulnerable and unwanted species by in-use gear). Approaches that enable effective compliance monitoring are identified for each method.

Some ALDFG mitigation methods are mutually exclusive. For example, using more durable gear components conflicts with less durable gear. However, the gear components involved may differ, where, for instance, less durable, thinner net twine diameter could reduce gillnet ghost fishing efficiency while more durable floatlines could reduce gear loss (Table S1). And, for example gear marking to increase the visibility of passive gear may conflict with some approaches to reduce gear theft and vandalism, including using submerged buoys and floatlines. For cases where interventions are mutually exclusive, the fishery-specific drivers and predicted mitigation efficacy of the conflicting approaches could guide the selection between them.

There are four enabling measures included in Table 2: A broad measure on robust components of an ALDFG management framework, positive and negative incentives for compliance with ALDFG control measures, and fleetwide and vessel-based ALDFG quotas. The 32 mitigation interventions in Table 2 are categorized within a sequential mitigation hierarchy. Illustrative examples of measures within each mitigation hierarchy tier include:

• Avoid ALDFG production

- o Area-based management tools, ranging from static and permanent no-take marine protected areas to temporally- and spatially-dynamic (mobile) closures, might enable complete avoidance of derelict gear production, such as by avoiding gear conflicts by temporally or spatially separating passive and mobile gear sectors [20].
- o Input controls, such as buyback programs which reduce fishing capacity by purchasing and retiring fishing vessels and permits, and

Table 1

Direct drivers of the production and adverse consequences of ALDFG^a categorized as resulting in abandoned (A), lost (L) or discarded (D) fishing gear.

No.	ALDFG causes	ALDFG component
1	Lack of incentives to implement ALDFG mitigation methods due to deficits with control, surveillance, or enforcement systems; inadequate penalties resulting from enforcement actions for identified infractions; and inadequate rewards for compliance with ALDFG management measures	A, L, D
2	Limited awareness or low concern over adverse consequences of ALDFG	A, L, D
3	No program in place to retrieve or disable gear reported as ALD; legal framework prohibits retrieving and disabling others' gear	A, L, D
4	Economic instruments (e.g., subsidies for new gear, insurance for lost gear, fishers are not responsible for covering costs for new gear) make it inexpensive for fishers to replace gear. This reduces the incentive for fishers to repair and maintain gear and vessel equipment, to not abandon and discard unwanted gear, to avoid risks of gear loss, and to attempt to retrieve temporarily lost and abandoned gear	A, L, D
5	Bad weather, strong currents or sea ice sever, move or submerge surface marker buoys or float lines; move the gear so that it cannot be relocated or cause the gear to snag on bottom features; break moorings; and sweep improperly stored gear overboard	A, L
6	Impractical, including insufficient time, or economically inefficient to retrieve gear or to attempt to locate and retrieve temporarily lost or abandoned gear	A, L
7	Static gear (gillnets, pots) is set too deep, increasing risk of loss and impracticality for retrieval, and reducing the likelihood of recovery if temporarily lost	A, L
8	Risk of detection of illegal fishing or illegal gear (e.g., crew spot a patrol vessel while illegally fishing in a closed area, and flee, abandoning their gear, in order to attempt to avoid detection)	A, D
9	Use of biodegradable gear creates a disincentive for fishers to responsibly dispose of end-of-life gear	A, D
10	Worn/damaged gear components, including ash from onboard incineration of unwanted fishing gear, are perceived to be most convenient to discard or abandon at sea	A, D
11	Insufficient storage room onboard for all gear that was set (e.g., when the space used to store gear when starting a trip is subsequently used as the fish hold)	A, D
12	Malfunction of vessel equipment other than gear tracking system (e.g., hauler)	A
13	Unsafe to retrieve gear (e.g., snagged on submerged feature, inclement weather)	A
14	Untended gear drifts out of fishing grounds into areas where the fishing vessel/gear is prohibited (e.g., dFAD drifts into an EEZ where the vessel is not authorized to fish)	A
15	When repairing and making up new gear onboard vessels at sea, used and new gear components (crimps, chafing gear, net clippings, fragments of line, strands of dolly rope, etc.) may be inadvertently swept or intentionally discarded overboard	L, D
16	Catch escapes with gear remaining attached (e.g., hook biteoffs of terminal tackle of hook-and-line gear, baleen whale entanglement in floatlines and groundlines of active, in-use pots and gillnets)	L
17	During use of the gear, due to regular wear and from the use of bottom gear that contacts the seabed, fragments of gear components can detach, such as small pieces of foam	L

(continued on next page)

Table 1 (continued)

No.	ALDFG causes	ALDFG component
	from floats and buoys, and strands or pieces of strands from dolly ropes	
18	Fishing vessel sinks with gear onboard or set	L
19	Gear conflicts, both between (e.g., passive gear is accidentally or intentionally towed away or marker buoy and buoy lines are cut by mobile fishing gears such as trawlers and dredgers) and within gear types (e.g., in congested fishing grounds, gear is set on top of each other).	L
20	Improper gear designs and materials increase loss rates (e.g., improperly designed mooring for an anchored FAD)	L
21	Inadequate maintenance/replacement of worn gear components, including components used to track gear position, result in loss	L
22	Malfunction of tracking systems of passive gear	L
23	Marine organism moves gear (e.g., baleen whale entangles in float or groundline of fixed gear, and drags the gear away)	L
24	Marine traffic - commercial ships and recreational vessels anchor on static gear, pull up and cause the loss of the gear	L
25	Marine traffic - passing vessel runs over the gear, towing away gear, cutting marker buoys and buoy lines, etc.	L
26	New gear may contain loose fragments that can be lost at sea when first used	L
27	Operator error, including by new entrants/inexperienced fishers (e.g., fish at grounds with high risk of gear loss, use fishing gear designs or materials that result in loss, gear is set too deep for buoy line) ^b	L
28	Snag on wrecks, other debris, infrastructure (cables, oil and gas pipelines and wellheads), and natural submerged features	L
29	Surface marker buoy lines and float lines sever due to wear, causing loss of the main portion of the gear, including the sinking of dFADs	L
30	Theft of passive gear, including removing a satellite buoy from a dFAD	L
31	Untended passive gear is misplaced (e.g., untended gear with no tracking system drifts away and is lost)	L
32	Untended passive, static gear is left in place in between fishing seasons in order to retain possession of fishing grounds, increasing risk of loss	L
33	Vandalism, including cutting buoy lines, removing marker buoys, intentionally running over the gear (e.g., due to conflicts within and between gear types, due to gear located in shipping channel)	L
34	Crew release live catch or discard dead catch with gear remaining attached (e.g., following prescribed handling and release practices for deeply hooked ETP species)	D
35	Discarded offal and bait may contain terminal tackle (e.g., bait with hook)	D
36	Insufficient storage space onboard for worn/damaged gear components that were replaced during the trip	D

^a [6,20,26,109,120,121,172,133,74,195,19,89,126,143,168,181,186,54,69,76,78,85,132,161,162,179]

^b May be more appropriately categorized as an underlying, indirect driver of ALDFG production

output controls, such as a fleetwide catch limit that when reached triggers a temporary fishery closure. There is complete avoidance of ALDFG production by vessels that are retired through the buyback program, and during a temporary fishery closure.

• **Minimize ALDFG production and adverse consequences**

Table 2

ALDFG mitigation and enabling interventions and drivers of derelict gear production that each mitigation method has the capacity to address. Methods are categorized within a sequential mitigation hierarchy. Methods with an asterisk are approaches that would be used specifically to mitigate derelict gear, while other approaches may be employed for additional applications. Approaches that enable compliance monitoring for each ALDFG mitigation method are identified. Key to drivers is in Table 1. See Table S1 for examples of each ALDFG mitigation and enabling method, definitions and citations.

Mitigation hierarchy ^a	Mitigation and enabling methods	Drivers addressed	Compliance monitoring ^b
A	Area-based management tools - static and dynamic time-area restrictions	5, 6, 7, 13, 14, 18, 19, 24, 25, 27, 28, 33	Aerial, AIS, electronic gear tracking, EM, observers, satellite imagery, VMS
A	*Communication within and between fishing fleets on the location of their gear	19, 33	NA (voluntary industry approach)
A	*Limit amount of gear allowed onboard	11, 36	Aerial, board/inspect, dockside, EM, observers
A, M	*Controls on at-sea disposal of debris and infrastructure installation and decommissioning practices	13, 28	NA
A, M	Incinerators and compactors	11, 36	Board/inspect, dockside, EM, observers
A, M	Input and output controls	11, 18, 32	Variable depending on the measure, from none (buyback, limited entry) to combinations of: aerial, AIS, board/inspect, dockside, electronic gear tracking, EM, observers, satellite imagery, VMS
A, M	Periodic or continual attendance of passive gear	5, 6, 14, 19, 24, 25, 30, 31, 32, 33	Aerial, board/inspect, electronic gear tracking, EM, observers
M	Change in gear type	Depends on the old and replacement gear types	Aerial, board/inspect, dockside, EM, observers, satellite imagery
M	Continuous maintenance of gear and vessel equipment to replace and repair worn gear components and damaged equipment	4, 5, 12, 16, 18, 21, 22, 29	Board/inspect, dockside, observers
M	Deterrence of illegal fishing	8, 19	Aerial, AIS, board/inspect, dockside, electronic gear tracking, EM, observers, satellite imagery, sight/recover, VMS
M	*Gear designs and materials that reduce gear loss	5, 7, 16, 17, 20, 23, 25, 30, 33	Board/inspect, dockside, EM, observers, sight/recover
M		2, 8, 30	

(continued on next page)

Table 2 (continued)

Mitigation hierarchy ^a	Mitigation and enabling methods	Drivers addressed	Compliance monitoring ^b
	Gear marking to enable supply chain traceability		Board/inspect, dockside, EM, observers
M	Gear marking to identify ownership	2, 8, 30	Aerial, board/inspect, dockside, electronic gear tracking, EM, observers, sight/recover
M	Gear marking to increase passive gear visibility	5, 19, 23, 24, 25, 31	Aerial, board/inspect, dockside, EM, observers, sight/recover
M	Gear repair systems	4, 10, 21, 29	Dockside
M	Gear supply chain traceability system and Extended Producer Responsibility schemes for fishing gear	2, 8, 30	Dockside
M	Gear technology that increases ghost fishing selectivity of ALDFG from passive gear	16, 35	Board/inspect, dockside, EM, observers, sight/recover
M	*Management of waste produced when: (1) repairing and making up new gear onboard vessels at sea; (2) preparing gear for storage; and (3) processing offal, spent bait and discards prior to discarding overboard	10, 15, 26, 34, 35	Board/inspect, EM, observers
M	More durable gear components	5, 16, 17, 19, 20, 25, 29, 32	Board/inspect, dockside, EM, observers, sight/recover
M	Prohibitions on the use of hazardous materials (e.g., lead, copper coating and other antifouling agents) in fishing gear components	NA ^c	Board/inspect, dockside, EM, observers, sight/recover
M	Secure stowing of gear onboard	5, 18, 27	Board/inspect, dockside, EM, observers
M	Technology to reduce unwanted gear contact with the seabed	28	Board/inspect, dockside, EM, observers
M	Technology to track gear position	5, 19, 23, 25, 30, 31, 32, 33	Aerial, board/inspect, dockside, electronic gear tracking, EM, observers, sight/recover
M	Training, outreach and education for new entrants and periodic refreshers	2, 9, 20, 27	Dockside
M, R	Degradable and less durable gear	NA ^c	Board/inspect, dockside, EM, observers, sight/recover
M, R	*Disabling of ghost fishing efficiency of reported/detected ALDFG	3	NA

Table 2 (continued)

Mitigation hierarchy ^a	Mitigation and enabling methods	Drivers addressed	Compliance monitoring ^b
M, R	*Port reception and recycling facilities for ALDFG, convenient and affordable	10	Dockside
R	Materials for gear components that are recyclable	4, 9	Board/inspect, dockside, EM, observers, sight/recover
R	*Removal of reported/detected ALDFG	3, 6	NA
R	*Requirement for fisher reporting of gear that they lost, abandoned or discarded (such as required under MARPOL Annex V ^d)	1, 9, 30	Dockside, electronic gear tracking, EM, observers, sight/recover
R	*Requirements for fishers to: (1) possess equipment to retrieve ALDFG, (2) obtain training on how to retrieve ALDFG, and (3) attempt to retrieve ALDFG that they produced or that they encounter at sea, when safe	3, 6	Board/inspect, dockside, EM, observers
R	*Technology to detect temporarily lost and abandoned gear	5, 6, 30, 31, 32	Board/inspect, dockside, electronic gear tracking, EM, observers
E	*ALDFG rate or magnitude limit, fleet- or vessel-based, where the latter could be individual transferable ALDFG quotas	2, 4, 6, 9, 10, 11, 21	Electronic gear tracking, EM, observers
E	*Negative incentives - penalties	1, 4, 9	NA
E	*Positive incentives - rewards	1, 4, 9	NA
E	*Robust ALDFG management framework of control, surveillance, enforcement and outcomes of enforcement actions, including implementation of MARPOL Annex V ban on abandonment and discarding of fishing gear ^e	1, 4, 8, 9, 19, 20, 24, 25, 32, 35	NA

^a A = ALDFG avoidance; M = ALDFG minimization; R = ALDFG remediation; E = enabling precondition for ALDFG management.

^b Aerial=manned and autonomous aerial surveillance; AIS=Automatic Identification System used to track vessel position; board/inspect=at-sea boarding and manned and autonomous inspection; dockside=dockside inspection; electronic gear tracking=electronic tracking of gear position, including satellite buoys and AIS beacons; EM=fisheries electronic monitoring system; observers=conventional at-sea human observer program; satellite imagery=satellite technology systems used for vessel detection and detection of some gear types; sight/recover=detection of derelict gear sighted or recovered when grounded or at sea; VMS=satellite-based Vessel Monitoring System.

^c Use of biodegradable and non-toxic materials and less durable gear components can reduce adverse consequences of ALDFG such as those caused by

drivers 16, 34 and 35 in Table 1, but do not address a driver of production of ALDFG.

^d Under the International Convention for the Prevention of Pollution from Ships (MARPOL) Annex V, fishing vessel operators are required to record discarded and lost fishing gear in a garbage record book or ship's log, and to report to relevant authorities when it, "poses a significant threat to the marine environment and navigation," as determined by member States. The 2017 *Guidelines for the Implementation of MARPOL Annex V* [105] clarify that Party's governments should determine if accidentally lost and discarded fishing gear is required to be reported under Annex V Regulation 10.6 by considering factors including: (i) the amount of lost and discarded gear; (ii) the conditions of the marine environment where it was lost or discarded; (iii) the characteristics of the lost gear, including types, weight and/or length, quantity, material, and buoyancy; and (iv) the vulnerability of habitat and protected species to gear interactions in the location where the gear was lost/discarded. The IMO guidelines use the example of "whole or nearly whole large fishing gear or other large portions of gear" as derelict fishing gear that could be considered to meet the Annex V Regulation 10.6 definition of posing "a significant threat to the marine environment and navigation" [105].

^e MARPOL Annex V generally prohibits the discharge of all garbage into the sea. Regulation 3 prohibits the disposal of all plastics, including fishing gear, into the sea in all locations [104,105]. Regulation 7 defines exceptions to the prohibitions during emergency and non-routine situations, and additional exceptions are provided in regulations 4, 5, and 6 of the Annex, which are related to food waste, cargo residues, cleaning agents and additives and animal carcasses. The MARPOL Annex V implementation guidelines (Section 1.7.8 in [105]) clarify that, "Fishing gear that is released into the water with the intention of later retrieval, such as fish aggregating devices (FADs), traps and static nets, should not be considered garbage or accidental loss." This clause is likely intended to apply to all unintended in-use fishing gear, but not unintended gear that fishers set but do not retrieve either due to accidental loss or intentional abandonment, and that fishers intentionally discard at sea.

- o Using robust anchored fish aggregating device (FAD) designs and materials (Section 4.4, [1,175]) reduces gear loss rates.
- o Securely stowing gear onboard and managing waste produced when repairing and making up new gear reduces the risk of gear being swept or discarded overboard [126].
- o When combined with a robust fisheries management framework, gear marking to identify the owner or last user of ALDFG can reduce ALDFG production. Gear marking can disincentivize deliberate abandonment and discarding, incentivize the retrieval of temporarily lost gear, may make it more difficult to steal gear, and may create an incentive to report when gear is lost or abandoned. It may also deter illegal fishing, which can be a driver for ALDFG production [57,99].
- o Gear marking can also enable supply chain traceability, facilitating Extended Producer Responsibility schemes for fishing gear, incentivizing gear manufacturers, assemblers, suppliers and other companies in the supply chain to contribute to actions that mitigate ALDFG [143].
- o Methods that reduce the duration of ghost fishing or reduce the ghost fishing efficiency of ALDFG can minimize ghost fishing mortalities. For instance, using less-durable and biodegradable materials for fishing gear components, and incorporating escape panels and cords, can reduce ghost fishing duration [24,75,141,183].
- o Gear designs that increase the selectivity of in-use (not derelict) passive gear can reduce ghost fishing rates of certain species and sizes of catch in ALDFG. For instance, reducing anchored gillnet profile and eliminating or increasing the length of tiedowns reduces marine turtle catch risk in both in-use and derelict gear [78,83].
- o Using biodegradable and non-toxic materials for some gear components would reduce the dispersal and transfer of toxins derived from ALDFG into marine food webs, and risk of ingestion of toxic components of ALDFG [70,71,85,143].

- Remediate ALDFG production or adverse consequences

- o Programs that detect and remove ALDFG, or that sweep fishing grounds and retrieve derelict gear eliminate continued adverse effects from the derelict gear [49,121,179].
- o Sweeping can also disable ALDFG but leave it in place, reducing the derelict gear's ghost fishing efficiency, risk of fouling in-use surface fishing gear and risk of obstructing vessel navigation, but not other adverse effects of ALDFG [85].

In addition to being categorized into tiers of a sequential mitigation hierarchy, at the broadest level, the methods to mitigate ALDFG identified in Tables 2 and S1 can also be categorized as either: (1) input and output controls that eliminate or reduce fishing effort and hence ALDFG production; (2) measures that reduce ALDFG production rates, including methods to locate temporarily lost and abandoned gear; (3) methods that reduce the adverse effects of ALDFG; (4) methods that disable and remove ALDFG; and (5) enabling measures that incentivize the employment of ALDFG mitigation methods. We present a sample of case studies in the following sections in order to demonstrate the high variability among fisheries, region and gear type in drivers of ALDFG production, degree of robustness of the fisheries management framework, and hence appropriate interventions to mitigate drivers.

4. Case studies

4.1. India gillnet and trammel net fisheries

Gillnet and trammel net fisheries compose 67% of India's ca. 194,000 fishing vessels and provide employment for about 860,000 people [125,186]. Artisanal, small-scale gillnet and trammel net fishers use non-motorized canoes and catamarans to target forage fishes and shrimp using small and medium mesh gillnets and trammel nets weighing up to 20 kg, making day trips. Small gillnet vessels with outboard motors target forage fishes, pomfrets and shrimp using small and medium mesh gillnets and trammel nets weighing up to 45 kg, also making day trips. Larger-scale vessels with outboard motors target tunas, billfishes, sharks, other large pelagic fishes and snappers using fleets of gillnets weighing up to 900 kg, with trips lasting up to 5 days. Mechanized vessels with inboard engines target tunas, billfishes, sharks and other large pelagics using fleets of large mesh drift gillnets that are up to 18 km in length and weigh up to 3,000 kg, with trips lasting up to a month [185,186]. Gillnets supply over 37% of India's ca. 200,000 t of annual landings by tuna fisheries [159].

Based on fisher surveys, about 25% of gear is abandoned and lost annually in India's gillnet and trammel net fisheries [186]. Loss and abandonment make up roughly equal proportions of the ALDFG. Discarding gear at sea is relatively uncommon [186]. Once gear becomes unusable for fishing, it is typically repurposed for various land-based activities or sold for recycling.

Inclement weather and snagging on seabed features and submerged debris (e.g., oil rigs, construction material) are primary causes of gear abandonment and loss. For example, the main cause of gear loss in the Andhra Pradesh tuna gillnet fishery, with a relatively high ALDFG production rate of 36%, was due to rough sea conditions during the monsoon season. Entire strings (fleets) may be lost during cyclones. In trammel net fisheries that fish at rocky substrates and coral reefs, there are particularly high rates of abandonment and loss due to gear snagging on the seabed, which was exacerbated when fishers changed from multifilament to monofilament netting [186]. Another cause of gear loss is from trawlers and non-fishing vessels towing away the gear and severing marker buoys. Strings of gillnet panels, which are set at night, are not adequately marked to enable visibility. Entanglement of large marine organisms can also cause the loss of a section or entire string of gear. In ports where gillnets are stored on beaches, the nets can wash out to sea during inclement weather. Less experienced fishers had higher loss and abandonment rates, and longer gillnet lengths had higher loss rates [186].

Improvements in India's federal, state and district fisheries management systems for gillnet and trammel net fisheries are needed to address these drivers of ALDFG creation. This includes filling gaps in monitoring and control, such as capping gillnet effort. Gaps in surveillance and enforcement of existing controls also need to be filled, such as a Kerala State limit on gillnet size, a ban on night fishing by trawlers and a ban on bottom trawling in inshore zones where conflicts with static gear occur [60,61,112,186].

In some small-scale gillnet fisheries, the relatively low value of new netting reduces the incentive for fishers to attempt to repair and not discard old netting, which is exacerbated in some fisheries through government subsidies [45,72]. This is not the case in India, where the cost for new nylon monofilament netting is considered relatively high (personal communication, 17 July 2021, Saly N. Thomas, India Central Institute of Fisheries Technology).

Referring to Tables 2 and S1, potential mitigation approaches to address identified drivers of ALDFG production include:

- Dissemination of accurate weather forecasts and adopting voluntary or mandatory measures restricting fishing during inclement weather;
- Area-based management to avoid fishing in areas with high risk of gear snagging;
- Marking gear to increase visibility, to reduce the risk of vessel strikes and conflicts with mobile gear;
- Area-based management to avoid areal and temporal overlap between gillnet and trammel net fishing grounds and ships and trawlers;
- Communication between gillnet/trammel net vessels and vessels using mobile fishing gear;
- Using gear designs, such as submerged buoys and floatlines, could reduce the risk of loss from vessel strikes;
- More frequent or continual attendance of the gear;
- Employment of technology to detect when gear becomes lost and identify the position of temporarily lost or abandoned gear;
- Training of new entrants;
- Programs for reporting, recovery or disablement of ALDFG;
- Incentives (rewards and penalties) for proper disposal of end-of-life, damaged gear currently with low economic value;
- Improvements to the fisheries management framework to augment ALDFG management; and
- Use of gear designs and fishing methods that reduce the ghost fishing efficiency and duration of ALDFG from gillnets and trammel nets [78,83,200], and restrictions on the use of hazardous materials, such as lead weights on footropes.

4.2. Global pelagic longline bite-offs

Hook-and-line fisheries experience gear losses when catch escape by severing the terminal tackle (e.g., pelagic longline, [4,11,81,136]). Based on estimates of bite-off rates [4,81,197] and global pelagic longline effort [87], ca. tens of millions of terminal tackle components may be lost annually. This estimate does not include the lost gear from bite-offs in numerous other hook-and-line gear types, including recreational hook-and-line shark fisheries which occur in diverse, sensitive coastal and offshore ecosystems [13,67].

Species with sharp teeth, including sharks and some teleosts such as snake mackerel (*Gempylus serpens*), can sever by biting through or abrading monofilament leaders and escape [77]. Species with serrated teeth, like tiger sharks (*Galeocerdo cuvier*), are more likely to be able to bite through monofilament leaders than those with needle-like teeth, like bigeye threshers [197]. Species that tend to thrash violently when hooked, such as longtailed thresher (*Alopias vulpinus*) and blue marlin (*Makaira nigricans*), are more likely to abrade and sever a monofilament leader than those with relatively less energetic reactions to capture, such as black marlin (*Istiompax indica*) [82,197].

The terminal tackle may eventually be expelled if the hook corrodes

or is shed [16,153]. The escaped organism may die as a result of the retained gear, especially if hooked internally [2,22,113] or possibly from long trailing line (e.g., [58], however, see [16,137,153]). Or, embedded hooks may be retained for the lifetime of the fish [16,82].

With all of these scenarios, the lost terminal tackle's fate is likely to eventually sink to the seabed in coastal and deep ocean areas, or to strand on coastlines [2,13]. Once on the seabed, derelict hooks and short sections of monofilament line may be buried in soft sediment or incorporated into hard substrate, or may snag on a three-dimensional surface [85]. While posing minimal risk of ghost fishing, the derelict gear, however, risks causing other adverse consequences, include transporting and transferring toxins (e.g., from lead in branchline weights, and chemicals used in light-sticks, [91,142,150,201]) and microplastics into marine food webs; altering and damaging habitat; and reducing the socioeconomic value of coastal and nearshore habitats [85].

There are several approaches to avoid and minimize longline bite-offs. One method is to use more durable materials for leaders, such as wire and multifilament line instead of monofilament nylon – however, this increases shark catch rates [4,197]. In fisheries where shark catch is unwanted (e.g., regulatory restrictions/bans, low or no market value, or avoiding ammonia contamination of more valuable non-shark catch in the hold, [82]), some methods that reduce shark catch risk, other than prescribing monofilament leaders, would also reduce bite-off rates. This includes area-based management tools, such as static and dynamic fishery closures, to avoid temporally and spatially predictable sites with high shark catch rates, or high ratios of shark-to-target species catch rates [98,114]. Using small forage fish species for bait instead of squid species or pieces of incidental catch, adjusting the depth and time-of-day of fishing and using J-shaped instead of circle shaped hooks of the same size are other approaches to reduce shark catchability [79,80]. However, the latter two approaches result in multispecies conflicts, and while reducing shark catch risk, J-shaped hooks increase shark haulback mortality rates relative to circle hooks [80].

'Weak hooks' may also reduce shark catch rates. This entails using a fishing hook with a wire diameter below a threshold, shape, material, and potentially other attributes, in combination with branchlines and leaders of materials and with minimum diameters and concomitant breaking strengths that exceed the pull force required for the hook to bend beyond a threshold angle [15,64]. Weak hooks, theoretically, could enable sharks to bend hooks and escape, while retaining target species. This requires that sharks are able to exert a higher pull force than the target species, and many other caveats, such as the direction of pull and whether tension is maintained on the branchline and mainline during gear retrieval and that crew regularly maintain branchlines and leaders so that they keep the necessary breaking strength.

Using corrodible hooks may reduce ghost fishing mortality rates resulting from bite-offs by reducing the duration that hooks and trailing line remain attached, or, alternatively, using corrodible rings on hooks could reduce the duration of retained trailing line without compromising the hook's strength. However, there may be low risk of sub-lethal and lethal effects of externally hooked sharks [16].

4.3. California's commercial Dungeness crab pot fishery

The California commercial Dungeness crab (*Metacarcinus magister*) fishery is one of California's most valuable, with over 400 active vessels deploying up to 139,000 pots and producing about USD \$62 million in ex-vessel value each season [30]. It operates as a derby fishery, with the majority of landings made within the first two months of the season, which varies by year and region [93].

Single pots are fished on the bottom with bait – strings of pots are not used [32,149]. Pots are made with an iron frame, wrapped with strips of rubber, covered with stainless steel wire meshes, and cost approximately USD \$200 per trap [30]. There have been no formal studies on the drivers and rates of lost gear production, though PFMC [149] estimated anecdotally that 10% of gear may be lost annually in U.S. west coast

Dungeness crab fisheries, primarily due to rough winter ocean conditions during the highly competitive early weeks of the season. Marine traffic may also contribute to gear loss, as there are important fishing grounds in the vicinity of major shipping ports.

The fishery has long operated with a range of measures to minimize ALDFG and mitigate impacts, such as the use of a “destruct device” escape panel, which uses degradable untreated cotton twine or corrodible metal, to mitigate ghost fishing by lost traps. There have been longstanding voluntary efforts by fishers to remove derelict traps outside of the fishing season, motivated by the high cost of crab traps and potential for gear conflicts with the salmon troll fishing season that operates in overlapping fishing grounds in the spring and summer. Expanding gear accountability and ALDFG remediation became a priority management concern beginning in response to a sudden increase in confirmed whale entanglements in fishing gear off the US west coast beginning in 2014 [171,170]. The increase in entanglements was primarily associated with humpback whales, whose presence off the U.S. west coast peaks in summer months, following the traditional end of the Dungeness crab trap fishery. To further reduce the production and impact of derelict gear and ensure that intact derelict traps do not pose entanglement risk to whales, the fishery has developed and implemented a range of additional measures in recent years [42].

Notably, California commercial Dungeness crab fishers have developed a locally led recovery program for lost fishing gear, with a focus on incentives for industry participation and financial sustainability. Fishing industry leaders in Half Moon Bay, California, partnered with The Nature Conservancy (TNC), an international environmental organization, to pilot and expand an industry-led program in which fishers are compensated for retrieving lost gear with revenue generated by selling recovered traps back to owners [188,189]. TNC created a web and phone application to support the program by allowing fishers to efficiently track and document lost gear from recovery at sea through to final distribution. The multi-year pilot across multiple ports recovered over 1,500 lost traps. In 2019, California formalized a port-based post-season recovery program, bolstering financial incentives by legally requiring gear buyback [32,178]. The lost gear recovery program complements additional provisions for the removal of derelict pots during and after the fishing season without guaranteed compensation, and fishers are also required to report the number of traps lost at the end of each fishing season [32]. In 2020, seven major crab ports reported recovering over 630 lost traps through the port-based program and additional provisions for legal lost-gear recovery [31].

The fishery operates with two cooperative management bodies that advise on overall management measures (Dungeness Crab Task Force) and marine life entanglement specific considerations (Dungeness Crab Fishing Gear Working Group). Many of the regulations that avoid and minimize gear loss and reduce ghost fishing efficiency and duration were developed in consultation with one or both of these bodies [30,32,33,41,149]. These regulations include:

- Limit on the length of surface lines (distance between a main marker surface buoy and final trailer buoy) and limit of two trailer buoys;
- Use of marker surface buoys;
- Use of trailer buoys, which keep vertical lines visible from the surface;
- Traps must be tended (pulled and serviced) at least every four days (weather permitting);
- Input controls - limited entry fishery, limit on the number of pots per permit holder, an up-to 7.5-month long season, dynamic management in response to identification of a high entanglement risk;
- Gear marking - buoy tags contain the permit number; buoys are marked with the operator’s commercial fishing license number; trap tags contain the owner’s contact information;
- The size of the trap entrance and bait type may contribute to avoiding vulnerable bycatch, including ghost fishing by ALDFG;

- Escape ports (two rigid circular openings ≥ 10.80 cm diameter) allow female and sublegal male crabs to escape, including by ALDFG (only male crabs of a minimize size can be retained);
- Pots contain a degradable “destruct device”, described above, which creates a ≥ 12.7 cm diameter opening after it corrodes; and
- A “fair start” provision that supports an orderly start to the fishery by prohibiting vessels actively fishing in one area to immediately move into, and overly crowd, a newly opened area that had been subject to temporal closure at the start of the season in certain circumstances.

Additional measures described in Tables 2 and S1 could complement these. Expanded provisions for in-season lost gear reporting and coordinated recovery could mitigate near-term impacts of lost gear and increase the safety and efficiency of recovery operations. Gear that remains in the water for several months can get stuck in sand and muddy substrate and biofouling can partially submerge gear, making it challenging to haul. However, consideration of such measures would require consultation between industry and managers to overcome challenges around distinguishing between in-use and derelict gear during the fishing season and monitoring and enforcement requirements. Technology that enables fishers to monitor gear positions in real time, that is cost-effective (given that one trap per line is used in this fishery) and that is legal (e.g., government rules currently prohibit the use of AIS beacons on fishing gear) could help fishers to locate temporarily lost and abandoned pots [99,179] and report more accurate locations of gear that they are unable to recover. As non-fishing marine traffic conflicts are considered to contribute to gear loss, efforts to communicate and encourage avoidance of active crab fishing grounds would require cross-sector coordination, policies and incentives.

4.4. The Maldives’ and Indonesia’s anchored FAD tuna fisheries

Some pelagic and neritic species aggregate at natural and artificial floating objects [28,65,95]. Anchored FADs (aFADs) are artificial objects built and deployed by fishers that are designed specifically to aggregate commercial species of pelagic and neritic fishes. Primarily in some developing coastal states in the western Pacific Ocean, but also in the Mediterranean, networks of aFADs support mainly small-scale, artisanal fisheries, including those using pole-and-line, handline, troll, tuna purse seine and ringnet gear [5,18,40,122,176]. The availability of offshore aFADs might divert fishing pressure from heavily exploited, relatively sensitive nearshore ecosystems [3,18].

The ca. 700 vessels of the Maldivian pole-and-line fishery annually land over 100,000 t of mainly skipjack tuna, accounting for over a quarter of the total tuna catch by global pole-and-line fisheries [46,73,127]. About half of the effort and catch is from fishing on a government-owned and -managed network of deep water aFADs [1,108,128]. There are now about 50 aFADs, which cost over USD \$15,000 each, located between 19 and 31 km (12 and 20 miles) from the coast, anchored at about 2,000 m depth [1,127].

The fishery achieved a substantial reduction in the aFAD loss rate, from 82% to 20%, by improving aFAD buoy, mooring and anchor designs, and implementing a government incentive program that pays fishers to retrieve aFADs when they break from their moorings [1,175]. In addition to breaking mooring lines, the weight of anchors may have been insufficient to prevent aFADs to counter forces from currents, possibly resulting in aFADs being dragged into deeper water, submerging aFAD surface buoys [175]. From 1993–2009, the average lifespan of an aFAD before becoming lost was about 2.1 years, and an average of 17 aFADs were installed and 14 were lost each year [175].

The more robust aFADs have had a lifespan of about 5–8 years, and only 19 of 50 (38%) aFADs have experienced a mechanical issue that resulted in temporary or permanent loss, of which 9 were subsequently recovered [1]. Fishers are paid US \$330 for each recovered aFAD (typically just the buoy is recovered, which costs over USD \$2,500 to replace) [1]. At least one pole-and-line vessel typically visits each aFAD

location daily, enabling rapid reporting to the government when an aFAD is lost [1]. The Maldivian government's management framework for the aFAD network has achieved the lowest recorded aFAD loss rate [85]. In addition to improved designs that reduce loss rates, since 2004, use of an aFAD design that incorporated repurposed, salvaged netting from the appendages of derelict drifting FADs (dFADs) deployed by tuna purse seine vessels, which can entangle marine wildlife [62], was discontinued. The current surface structure design of aFADs have a raft made of small buoys and a horizontal fine-mesh net to create shade and shelter, attached to a main large buoy. The large buoy is physically marked with a unique identification number and with the name of the owner [1].

Referring to Tables 2 and S1, additional approaches that might further reduce loss rates and adverse effects of aFAD ALDFG include:

- More frequent inspection of accessible components of the aFAD (main buoy, raft, upper mooring line) and maintenance and replacement when worn/damaged to reduce the loss rate;
- Technology to provide a real-time alert when an aFAD moves position and to track the position of lost aFAD surface components that break from their mooring to possibly increase the recovery rate. For example, satellite buoys and devices that transmit positional data over cellular networks were trialed in the Vanuatu aFAD fishery [196];
- Technology to detect aFAD anchors when they move position, which, if a prevalent cause of loss, could be mitigated by using heavier anchors or different anchor designs, and may enable recovery of surface components if intact and not too deep; and
- Using biodegradable and non-toxic materials for the surface raft of small buoys.

Furthermore, more frequent use of the aFADs as a vessel mooring has been identified as a possible cause of a recent decline in aFAD lifespan [1]. If confirmed, this could be managed to further reduce the aFAD loss rate. Instrumenting aFADs with echosounders could increase fishing efficiency, allowing a reduction in the number of deployed aFADs [38].

Relative to the contemporary Maldives' pole-and-line fishery, other tuna fisheries have very high aFAD loss rates [85,119,120,155,176,198]. Indonesian tuna purse seine, handline, troll and pole-and-line vessels fish on tens of thousands of aFADs [155,199]. Indonesia's combined tuna fisheries supply about 13% of global combined principal market tunas and the pole-and-line fishery supplies about a third of the total tuna catch by global pole-and-line fisheries [55,73,130,144].

However, due to low compliance with government requirements to register and report the position of aFADs, accurate estimates of the total number and locations of aFADs are not available, nor are accurate estimates of aFAD ALDFG production rates [155,198]. The low compliance is understood to be due to fishers wanting to prevent competitors from obtaining their aFAD positions [198]. There is also low awareness of and compliance with regulations, including a cap on the number of aFADs that can be owned and deployed, required marking to identify the owner and license number, required attachment of radar reflectors on surface buoys, requirement to space aFADs apart by at least 10 nm, and a ban on deploying aFADs in shipping lanes [43,129,131,155,198]. Regulations require subsurface appendages to be made of non-entangling, biodegradable, natural materials. Palm fronds are typically used as subsurface appendages, but plastic strips are also occasionally used [155].

Most Indonesian deep-water tuna aFADs are privately owned. Some purse seine companies have agreements in place that allow vessels using other gear types to fish on their aFADs, in some cases for a fee or to guard the aFAD from use by other companies [155]. Typical deep-water aFADs have ca. 4 km long, synthetic mooring lines. Surface floats are either a steel cylinder, block of foam encased in car tires or bamboo raft, and the latter may have a bungalow to house a caretaker. Several cement blocks, connected using ropes and tires, anchor the aFAD [155].

The aFADs are understood to be replaced multiple times per year due to loss or wear. In addition to low compliance with government regulations, other causes of aFAD loss include [155,156]:

- Moorings break during inclement weather, in part due to the use of weak materials for aFAD components;
- Storms and strong currents move the location of aFADs with insufficient anchors;
- aFADs degrade over time, lasting a maximum of two years. Components may break resulting, in the loss of the surface structure and mooring line;
- Longline and gillnet fishers may cut aFAD mooring lines in order to avoid the risk of having their gear entangle on the aFAD. Also, fishers that fish on aFADs may vandalize their competitors' aFADs;
- Vandalism also occurs by non-fishing vessels. Cargo and other vessels deliberately cut aFAD mooring lines when they encounter aFADs in shipping lanes. The unavailability to fishing companies of maps identifying the location of shipping lanes is an additional, indirectly related, cause of aFAD loss; and
- Vessels accidentally strike aFADs, causing them to break from their moorings. While most Indonesia aFAD designs use surface floats, one company uses subsurface floats, which is prohibited by government regulations, likely to avoid detection by competitors. The aFADs generally lack navigational aids, such as radar reflectors and lights, but some aFAD rafts have tall objects that provide some visibility.

Referring to Tables 2 and S1, potential additional measures that could mitigate ALDFG from aFADs used by Indonesian tuna fisheries include:

- Augment surveillance and enforcement of aFAD registration and design requirements, possibly through a combination of dockside and at-sea monitoring, including possibly by using cost-effective satellite-based vessel monitoring systems (Midyatmoko et al., 2021). There is recent evidence that the Indonesian government has been conducting at-sea surveillance and removal of illegal aFADs [103,155];
- Incentivize, through a combination of rewards and penalties, compliance with aFAD regulations, required reporting when aFADs are lost, including "no fault" reporting that eliminates penalties for losing aFADs that would present a disincentive for reporting, and a recovery program for temporarily lost aFADs;
- Area-based management to avoid conflicts with gillnet and longline fishers, and to avoid the installation of aFADs in shipping lanes (and, related, provide maps to fishing companies that identify where aFADs can and cannot be installed);
- Improved, cost-effective gear marking (radar reflectors, high-flyer buoys, flags, lights) of aFAD surface structures to increase visibility, reducing the risk of vessel strikes and entanglement with fishing gear;
- If regulations were amended, using aFAD designs with submerged surface structures could reduce the risk of loss from vessel strikes, entanglement with fishing gear, and vandalism;
- More frequent or continual attendance of aFADs;
- More frequent inspection of accessible components of the aFAD and maintenance, repair and replacement of worn/damaged components to reduce the risk of loss;
- If cost-effective technology becomes available for use in small-scale fisheries, employ electronic devices to provide a real-time alert when an aFAD moves position and to track the position of lost aFAD surface components that break from their mooring to enable recovery;
- If cost-effective technology becomes available for use in small-scale fisheries, employ electronic devices to detect aFAD anchors when they move from their original position, which, if a prevalent cause of loss, could be mitigated by using heavier anchors or different anchor

designs, and may enable recovery of surface components if intact and not too deep; and

- Improved aFAD materials and designs to make them more durable, making them less susceptible to loss during strong wind, waves and currents.

5. Discussion

Relevant interventions to avoid, minimize and remediate ALDFG depend on the fishery-specific context. ALDFG drivers and ecological and socioeconomic consequences vary substantially by gear type, region, scale and by individual fishery [85,121,162]. This is partly due to the tremendous range in the robustness of fisheries management frameworks and in the influence of market-based incentives for environmental performance [74,134,151,152,167]. The linked databases developed by this study enable stakeholders to discover ALDFG mitigation approaches that are suitable to the fishery-specific context, and to first consider approaches that avoid and minimize ALDFG production and adverse consequences before potentially less effective and more expensive interventions for remediation and offsets [183]. This enables managers to adopt the most promising ALDFG interventions that address fishery-specific causes of abandonment, loss and discarding of gear and are viable given governance and socioeconomic enabling conditions.

To identify fishery-specific priorities for interventions, as well as to prioritize amongst fisheries, it is important to know the relative importance of each driver of ALDFG production, the magnitude of ALDFG derived from each driver, and driver-specific adverse consequences [85]. Furthermore, for many of the main direct drivers of ALDFG production and adverse consequences identified in Table 1, it is important to understand underlying indirect drivers. For instance, high fuel costs may affect fishers' decisions on the distance they are willing to travel to retrieve versus abandon drifting gear. Government corruption may create a disincentive to report lost gear [193]. A lack of access to weather forecasts, poor economic conditions and a race to fish in derby fisheries may result in a vessel fishing during a storm and losing or being forced to abandon gear, or may result in the vessel sinking [148,161]. Zoning rules or overcapacity and crowding may result in a vessel risking fishing in an area with a high incidence of gear snagging on submerged features [161] or in illegal areas or periods where risk of detection can result in gear abandonment. Government subsidies for new gear may reduce incentives to repair or use worn components to refurbish gear, increasing gear abandonment and discarding and reducing the incentive to locate temporarily lost gear [45,72]. In some small-scale gillnet and trammel net fisheries, the relatively low value of new netting can reduce the incentive for fishers to mitigate ALDFG [45,72]. In addition to direct drivers, managers should identify and account for these indirect drivers for ALDFG production when designing ALDFG management strategies.

Deficits in one or more component of the fisheries management framework can be important indirect drivers of ALDFG production. This is the case across the various forms of fisheries management systems, ranging from government command-and-control frameworks with input and output controls typical of data-rich, large-scale fisheries, to informal community-based self-governance and co-management frameworks with territorial use rights and indicator-based rules typical of data-limited, small-scale fisheries [37,115,154]. ALDFG interventions must be appropriate not only for countering specific drivers but also for the robustness of each fisheries management component, including monitoring, control, surveillance for compliance monitoring, enforcement, and outcomes of identified infractions [17]. Identifying the capabilities and deficits of the fisheries management framework related to managing and mitigating ALDFG enables the selection of viable ALDFG policy. This also identifies needed gradual improvements to address management framework deficits so that a broader range of ALDFG mitigation methods can be tapped in the future.

For example, gear marking is commonly prescribed to curb derelict gear [57]. However, in fisheries with rudimentary management systems,

this intervention in isolation is unlikely to control ALDFG production rates, such as aFAD losses in pole-and-line tuna fisheries (Section 4.4). Gear marking also has limited capacity to address the widespread abandonment of dFADs deployed by tuna purse seine fisheries, where wholesale changes in regional dFAD management are overdue to stop the largely accepted practice of abandonment by directing satellite buoy providers to unsubscribe a buoy attached to a dFAD when the gear drifts out of range or into areas where the vessel lacks authorization to fish [76,97]. Conversely, gear marking, including through the use of passive radio frequency identification or RFID tags, has been used effectively for capacity compliance monitoring, as well as to reduce the theft of gear and catch in pot fisheries with individual vessel limits [50,124,140,158].

Deficits in ALDFG monitoring and control can act as underlying, indirect drivers of ALDFG production and limit the efficacy of some interventions. Half of regional fisheries bodies do not collect ALDFG monitoring data, and over a third have not adopted ALDFG management measures. Furthermore, the bodies with binding ALDFG controls are tapping a small subset of ALDFG mitigation options [74,86]. Similarly, legal and regulatory frameworks at the national level to control ALDFG are limited and most are considered ineffective [25]. Therefore, improvements in ALDFG monitoring and control, including legal and regulatory frameworks, at regional and local levels are needed.

ALDFG mitigation methods vary in the relative necessity for robust fisheries management frameworks to deter noncompliance due to differences in their costs to commercial viability. Commercial viability considerations include economic viability (e.g., direct costs for requisite gear and equipment, effects on catch rates and value), confidentiality of commercially sensitive information such as the location of fishing grounds, practicality and crew safety. For example, required use of biodegradable and less-durable materials for gear components would likely require substantial resources for compliance monitoring if the prescribed gear materials reduce target species catch rates and increase costs and time to replace weaker gear [92]. This would not be an effective intervention in fisheries lacking sufficiently-robust management frameworks. However, in fisheries with rudimentary management systems, win-win interventions, such as introducing affordable technology that enables fishers to locate temporarily lost or abandoned gear, may achieve high compliance without incentives from penalties. Thus, some ALDFG mitigation methods elicit voluntary compliance, others require incentives, and fishery-specific enabling conditions will dictate which methods are likely to be suitable for an individual fishery.

Fisheries sustainability recommendations and standards can catalyze management authorities to adopt binding measures and seafood companies to adopt voluntary policies on ALDFG. In the U.S., European and other markets, major seafood buyers require that seafood be procured from sustainable sources [167]. Ecological and social certification schemes, such as the Marine Stewardship Council, and fisheries assessment and ranking programs, such as Fishery Improvement Projects, are increasingly being employed both to identify sustainable sources of seafood and to achieve gradual improvements in fisheries' environmental performance [27,123]. While market-based mechanisms currently provide minimal incentives for improved ALDFG monitoring, management and outcomes, this could occur, if, for instance, relevant components of the Marine Stewardship Council's fisheries standard were strengthened. For example, the outcomes scope, currently limited to ghost fishing and habitat [135], could be expanded to account for all ALDFG adverse consequences.

Adequate incentives are needed for fishers to prevent and minimize the risk of gear loss, not abandon and discard gear, employ methods that reduce adverse consequences of ALDFG, attempt to retrieve temporarily lost and abandoned gear, and report when gear becomes derelict. To effectively achieve compliance with ALDFG mitigation control measures, outcomes of enforcement actions for identified infractions must be sufficient incentives. This can be accomplished through a broad range of combinations of penalties and rewards through fisheries management

frameworks as well as market-based mechanisms [145,167]. Negative economic, market-based and reputational incentives include: a deposit on new gear is not reimbursed if retired gear is not returned; reduced or withheld subsidies including on new gear; a higher tax on new gear if old gear is not returned; levy (tax) assessed per defined ALDFG unit; fine is assessed when an ALDFG production limit (quota) is exceeded; penalty for noncompliance with ALDFG monitoring or mitigation measures; not achieving or losing certification; lower fishery improvement project ranking; and negative market reputation risk. Reward-based measures include the converse of these penalties, such as the provision of a subsidy or increased subsidy such as through discounts on new gear when retired gear is returned, retired gear buyback programs, a fee for retrieving ALDFG encountered at sea, and a reward for participating in voluntary ALDFG research or for implementing optional ALDFG monitoring or mitigation measures [21,100,146,177].

Outreach, education and training can enable more experienced fishers to pass on their knowledge to new entrants on methods that avoid ALDFG production. This includes avoiding areas with a high risk of loss from gear conflicts, collisions by marine traffic, and snagging seabed features, debris and infrastructure; using gear designs and materials, and conducting routine maintenance, that reduce the risk of gear loss; and augmenting familiarity with equipment and methods to recover temporarily lost or abandoned gear. Several ALDFG drivers in Table 1 could fall within the broad umbrella of fisher error in operating vessel equipment or gear. For example, a fisher might misuse the vessel hauler, causing it to malfunction, or might inadvertently set static gear in a navigation channel, accidentally tow bottom gear in an area known to have a high risk of snagging, forget to attach marker buoys to the gear, set surface marker buoy lines that are too short (or set the gear too deep given the length of the buoy lines), or may not securely stow the gear (Table S1). Providing training opportunities for new entrants, refresher training for all fishers, and ongoing outreach can reduce fisher error. Furthermore, improving fishers' awareness of adverse consequences of ALDFG can increase or develop a conservation ethic [165] that, in theory, may then cause a change in behaviors that affect ALDFG production and the adverse consequences of unavoidable ALDFG.

Causes and rates of the generation of ALDFG have been identified using expert surveys [76,132,161,162,172], data from observer and electronic monitoring programs [47,68,163], analyses of data from satellite buoys attached to dFADs [54] and self-reported by fishers, such as in garbage record books as required under MARPOL Annex V (Table 2). Qualitative expert surveys have been the predominant approach, which are at the lowest end of the evidence hierarchy as they have a high risk of bias and error [34,110]. Expert surveys are a rapid and low-cost approach where previously little or no information was available. Information from fisher surveys may be the only source of ALDFG data available for many fisheries. Data from expert surveys and self-reported by fishers, however, are of relatively low certainty, especially where ALDFG is highly sensitive, such as if there are stringent economic or regulatory penalties for identified infractions, but also due to retrospective bias [190]. Furthermore, there is a risk that the data collected from survey respondents are not generalizable and are unrepresentative of the underlying population that was sampled. This is a high risk if a probability sampling design is not employed and results in undercoverage bias (e.g., fishers of large-scale vessels and of vessels from certain seaports are not sampled), nonresponse bias is large and is not explicitly accounted for, there is a low response rate, and the questionnaire design or the way the questionnaire is administered causes biased responses [23,36,48,173].

Data from properly designed fisheries observer and electronic monitoring programs are much higher certainty than data derived from expert surveys. While electronic monitoring systems are not yet able to collect all data fields of conventional human observer programs, electronic monitoring can provide more certain data because it overcomes sources of statistical sampling bias faced by conventional human observer programs (observer effect, observed displacement effect,

coercion and corruption) [10,84]. However, in most fisheries, it is challenging for observers and electronic monitoring systems to detect and estimate lost and abandoned gear, and crew may effectively conceal intentional discarding. Furthermore, observational studies, and syntheses of observational studies, can employ flawed designs. For example, a review of records of observations of marine wildlife entangled in fishing gear incorrectly identified some entanglement records as having resulted from ghost fishing interactions with ALDFG that were documented to be due to entanglements with in-use fishing gear or otherwise where the cause of entanglement was unknown [9].

6. Future directions and conclusions

The databases of cross-referenced ALDFG drivers and mitigation methods provides the foundation to develop and maintain an online tool with a searchable relational database. This could be modeled after the Conservation Evidence online tool, which synthesizes available evidence on the efficacy of alternative conservation interventions that could be taken to address a specific threat to a species group or habitat [39,180]. The proposed ALDFG online tool could enable stakeholders to input an ALDFG driver to discover alternative mitigation methods relevant to that driver, and conversely, input a mitigation method to generate a list of drivers that the method has the capacity to address. The tool could be expanded to provide information on additional criteria important for deriving evidence-informed ALDFG policy. In addition to linking drivers and interventions, the ALDFG tool could identify the relative degree of evidence of the efficacy of each ALDFG mitigation method, as included in the Conservation Evidence [39] tool. Independent synthesis of all accumulated scientific information is a fundamental principle for developing transparent, evidence-informed regional conservation management decisions [44,138]. The ALDFG online tool could also categorize mitigation methods within tiers of a sequential mitigation hierarchy, and identify intervention-specific resources required for robust compliance monitoring.

Employment of a robust systematic literature review could identify additional approaches to mitigate ALDFG that were missed by the unstructured literature review employed in this study. Systematic reviews employ an impartial, transparent and thus replicable approach, and reduce the risks of introducing prevailing paradigm, familiarity and publication biases [14,157,182]. Furthermore, there may be drivers and interventions, including industry practices, not documented in the literature. Investment in research approaches, including fisher surveys, that tap the fishing industry's experiences with ALDFG drivers and mitigation practices, could expand the relational database.

The databases produced here enable stakeholders to identify appropriate interventions by: (1) relating ALDFG drivers to relevant mitigation methods, (2) identifying an intervention's tier within a sequential mitigation hierarchy, first attempting to avoid and minimize ALDFG production and adverse consequences before considering remediation and offset approaches, and (3) determining whether resources are available for requisite compliance monitoring. Several additional criteria should also inform the development of an ALDFG management strategy, including: (4) underlying, indirect drivers of ALDFG production; and (5) the relative importance of direct and indirect drivers based on driver-specific ALDFG rates, magnitude, fate and impacts. However, there is extremely limited information available on gear-specific ALDFG production rates and magnitudes, representing a key obstacle to ALDFG management [117,164]. Similarly, knowledge of the short-and long-term fate and ecological and socioeconomic consequences of ALDFG are additional priority information gaps [85]. Assessing (6) the relative degree of evidence of efficacy of each mitigation method is an additional important consideration for ALDFG policy development. Furthermore, the selection of interventions should consider (7) which ALDFG mitigation methods are likely to be effectively employed based on whether efficacy is affected by crew behavior and the likelihood of fishers' voluntary compliance given an

intervention's costs to commercial viability (economic viability, practicality, crew safety). For methods where efficacy relies on fisher behavior and voluntary compliance is unlikely, then the evaluation accounts for whether enabling conditions create adequate incentives to deter noncompliance. This includes considering requisite resources for compliance monitoring, covered in item 3, above, and identified in Table 2, but more broadly considers the influence of market-based mechanisms and the robustness of each fisheries management framework component of monitoring, control, surveillance, enforcement, and outcomes of enforcement actions. Improvements to address deficits with ALDFG management frameworks are a priority [74]. The more robust the fisheries management system, the broader the range of alternative ALDFG interventions that can be effectively employed. With the uptake of the most relevant ALDFG management approaches, and improvements in ALDFG information, management and knowledge of outcomes, we can be cautiously optimistic of meeting the United Nations Sustainable Development Goal 14.1 related to ALDFG mitigation [192].

CRedit authorship contribution statement

Eric Gilman: Conceptualization; Methodology; Project administration; Writing original draft, review and editing. **Jenn Humberstone:** Conceptualization, Methodology; Writing original draft, review and editing. **Jono R. Wilson:** Conceptualization; Methodology; Writing review and editing. **Emmanuel Chassot:** Methodology; Writing – review and editing. **Alexis Jackson:** Methodology; Writing review and editing. **Petri Suuronen:** Methodology; Writing review and editing.

Acknowledgements

We are grateful to Dr. Saly N. Thomas of the India Central Institute of Fisheries Technology and Trisha Gupta of the Oxford University, for comments on a draft case study on ALDFG in India's gillnet and trammel net fisheries. We thank the California Department of Fish and Wildlife for assistance with developing the case study of the California Dungeness crab pot fishery. Comments from the guest editor Professor Michel Kaiser of Heriot-Watt University and anonymous peer reviewers were extremely constructive and greatly improved the manuscript. This work was supported by The Nature Conservancy.

Appendix A. Supporting information

Supplementary data associated with this article can be found in the online version at doi:10.1016/j.marpol.2022.105097.

References

- [1] M. Adam, A. Jauhary, M. Azheem, A. Jaufer, Use of Anchored FADs in the Maldives – Notes for a Case Study for Assessing ALDFG. IOTC-2019-WPTT2, Indian Ocean Tuna Commission, Victoria Mahe, Seychelles, 2019, pp. 1–58.
- [2] D. Adams, J. Borucinska, K. Mailliet, K. Whitburn, T. Sander, Mortality due to a retained circle hook in a longline mako shark *Isurus paucus* (Guitart-Manday), *J. Fish. Dis.* 38 (2015) 621–628.
- [3] T. Adams, FADs - Are they all bad? *SPC Fish. Newsl.* 137 (2012) 36–40.
- [4] A.S. Afonso, R. Santiago, H. Hazin, F. Hazin, Shark bycatch and mortality and hook bite-offs in pelagic longlines: interactions between hook types and leader materials, *Fish. Res.* 131–133 (2012) 9–14.
- [5] J. Albert, D. Beare, A. Schwarz, S. Albert, R. Warren, J. Teri, F. Siota, N. Andrew, The contribution of nearshore fish aggregating devices (FADs) to food security and livelihoods in Solomon Islands, *PLoS ONE* 9 (2014), e115386.
- [6] J. Alfaro-Shigueto, J.C. Mangel, M. Pajuelo, P.H. Dutton, J.A. Seminoff, B. J. Godley, Where small can have a large impact: structure and characterization of small-scale fisheries in Peru, *Fish. Res.* 106 (2010) 8–17.
- [7] A. Andrady, Persistence of plastic litter in the oceans, in: M. Bergmann, L. Gutow, M. Klages (Eds.), *Marine Anthropogenic Litter*, Springer, New York, 2015, pp. 57–74.
- [8] K. Antonelis, D. Huppert, D. Velasquez, J. June, Dungeness crab mortality due to lost traps and a cost-benefit analysis of trap removal in Washington State waters of the Salish Sea, *North Am. J. Fish. Manag.* 31 (2011) 880–893.
- [9] R. Asmus-Silva, S. Barco, T. Cole, A. Henry, A. Johnson, A. Knowlton, S. Landry, D. Mattila, M. Moore, J. Robbins, J. van der Hoop, Rebuttal to published article “A review of ghost gear entanglement amongst marine mammals, reptiles and elasmobranchs” by M. Stelfox, J. Hudgins, and M. Sweet, *Mar. Pollut. Bull.* 117 (2017) 554–555.
- [10] E. Babcock, E. Pikitch, G. Hudson, How Much Observer Coverage is Enough to Adequately Estimate Bycatch? Pew Institute for Ocean Science, Miami and Oceana, Washington, D.C., 2003.
- [11] C.S. Bansemmer, M.B. Bennett, Retained fishing gear and associated injuries in the east Australian grey nurse sharks (*Carcharias taurus*): implications for population recovery, *Mar. Freshw. Res.* 61 (2010) 97–103.
- [12] D. Barnes, F. Galgani, R. Thompson, M. Barlaz, Accumulation and fragmentation of plastic debris in global environments, *Philos. T. R. Soc. B* 364 (2009) 1985–1998.
- [13] C. Battisti, S. Kroha, E. Kozuharova, S. De Michelis, G. Fanelli, G. Poeta, L. Pietrelli, F. Cerfolli, Fishing lines and fish hooks as neglected marine litter: First data on chemical composition, densities, and biological entrapment from a Mediterranean beach, *Environ. Sci. Pollut. Res.* 26 (2019) 1000–1007.
- [14] H. Bayliss, F. Beyer, Information retrieval for ecological syntheses, *Res. Synth. Methods* 6 (2015) 136–148.
- [15] S.M. Bayse, D. Kerstetter, Assessing bycatch reduction potential of variable strength hooks for pilot whales in a western north Atlantic pelagic longline fishery, *J. North Carol. Acad. Sci.* 126 (2010) 6–14.
- [16] M. Begue, E. Clua, G. Siu, C. Meyer, Prevalence, persistence and impacts of residual fishing hooks on tiger sharks, *Fish. Res.* 224 (2020), 105462.
- [17] P. Bergh, S. Davies, *Fishery monitoring, control and surveillance*, in: K. Cochrane, S. Garcia (Eds.), *A Fishery Manager's Guidebook*, Wiley-Blackwell, Oxford, 2009, pp. 373–403.
- [18] S. Beverly, D. Griffiths, R. Lee, Anchored fish aggregating devices for artisanal fisheries in South and Southeast Asia: benefits and risks. RAP publication 2012/20. Regional Office for Asia and the Pacific, FAO, Bangkok, 2012.
- [19] Blue Marine Foundation, *SafeGear Project Report*. London, Blue Marine Foundation, 2021.
- [20] R.E. Blyth, M.J. Kaiser, G. Edwards-Jones, P. Hart, Voluntary management in an inshore fishery has conservation benefits, *Environ. Conserv.* 29 (2002) 493–508.
- [21] H. Booth, W. Arlidge, D. Squires, E. Milner-Gulland, Bycatch levies could reconcile trade-offs between blue growth and biodiversity conservation, *Nat. Ecol.* (2021) 5, <https://doi.org/10.1038/s41559-021-01444-4>.
- [22] J.D. Borucinska, J. Martin, G. Skomal, Peritonitis and pericarditis associated with gastric perforation by a retained fishing hook in a blue shark (*Prionace glauca*), *J. Aquat. Anim. Health* 13 (2001) 347–354.
- [23] J. Brick, The future of survey sampling, *Public Opin. Q.* 75 (2011) 872–888.
- [24] M. Broadhurst, R. Millar, Relative ghost fishing of portunid traps with and without escape gaps, *Fish. Res.* 208 (2018) 202–209.
- [25] P. Broderick, J. Drugan, R. Lincoln, *Ghost Gear Legislation Analysis*, World Wide Fund for Nature, Gland, Switzerland, 2020.
- [26] J. Brown, G. Macfadyen, T. Huntington, J. Magnus, J. Tumulily, *Ghost Fishing by Lost Fishing Gear. Report to DG Fisheries and Maritime Affairs*. European Commission. Fish/2004/20, Institute for European Environmental Policy and Poseidon Aquatic Resource Management Ltd, Brussels, Belgium and Lymington, UK, 2005.
- [27] J. Cannon, P. Sousa, Katara, P. Veiga, B. Spear, D. Beveridge, T.I. Van Holt, Fishery improvement projects: performance over the past decade, *Mar. Policy* 97 (2018) 179–187.
- [28] Castro, J., Santiago, J., Santana-Ortega, A. 2002. A general theory of fish aggregation to floating objects: an alternative to the meeting point hypothesis. *Reviews in Fish Biology and Fisheries* 11: 255–277.
- [30] CDFW. 2020a. *Dungeness Crab Enhanced Status Report*. Marine Region, California Department of Fish and Wildlife, Monterey.
- [31] CDFW, Lost or Abandoned Commercial Dungeness Crab Trap Gear Retrieval During 2020, California Department of Fish and Wildlife, Monterey, 2020 (Available online), (<https://nrm.dfg.ca.gov/FileHandler.ashx?DocumentID=191648&inline>).
- [32] CDFW. 2021a. *2021 California Commercial Fishing Regulations Digest*. California Department of Fish and Wildlife, Sacramento.
- [33] CDFW. 2021b. *Whale Safe Fisheries*. Available online, (<https://wildlife.ca.gov/Conservation/Marine/Whale-Safe-Fisheries>). California Department of Fish and Wildlife, Sacramento.
- [34] CEBM, Oxford Centre for Evidence-Based Medicine: Levels of Evidence (March 2009), University of Oxford, Oxford, 2009.
- [35] D. Cho, The incentive program for fishermen to collect marine debris in Korea, *Mar. Pollut. Bull.* 58 (2009) 415–416.
- [36] B. Choi, A. Pak, A catalog of biases in questionnaires, *Prev. Chronic Dis.* 2 (2005) A13.
- [37] F.T. Christy, *Territorial use rights in marine fisheries: definitions and conditions*. FAO Fisheries Technical, FAO, Rome, 1982. Paper 227.
- [38] T. Cillari, A. Allegra, F. Andaloro, M. Gristina, G. Milisenda, M. Sinopoli, The use of echo-sounder buoys in Mediterranean Sea: A new technological approach for a sustainable FADs fishery, *Ocean Coast. Manag.* 152 (2018) 70–76, <https://doi.org/10.1016/j.ocecoaman.2017.11.018>.
- [39] Conservation Evidence. 2022. Actions to Conserve Biodiversity. Online searchable database, (www.conservationevidence.com/content/page/79). Department of Zoology, University of Cambridge, Cambridge.
- [40] P. Consoli, M. Sinopoli, A. Deidun, S. Canese, C. Berti, F. Andaloro, T. Romeo, The impact of marine litter from fish aggregation devices on vulnerable marine benthic habitats of the central Mediterranean Sea, *Mar. Pollut. Bull.* 152 (2020), 110928.
- [41] COPC. 2020. *2020–2021 Best Practices Guide for Minimizing Marine Life Entanglement*. California Ocean Protection Council, Sacramento.

- [42] COPC. 2021. *California Dungeness Crab Fishing Gear Working Group*. Available online, (<https://www.opc.ca.gov/whale-entanglement-working-group/>).
- [43] California Ocean Protection Council, Sacramento.
- [44] DGFC. 2014. Indonesia Fish Aggregating Devices Management Plans in Western Pacific Ocean. (FADs Management Plan for 2015 – 2017). Directorate General of Capture Fisheries, Ministry of Marine Affairs and Fisheries, Jakarta, Indonesia.
- [45] L. Dicks, I. Hodge, N. Randall, J. Scharlemann, G. Siriwardena, H. Smith, R. Smith, W. Sutherland, A transparent process for “evidence-informed” policy making, *Conserv. Lett.* 7 (2014) 119–125.
- [46] C. Dixon, F. Satria, W. Wudianto, E. Nurdin, A. Utama, M. Mahiswara, J. Toole, P. He, Gear Marking Pilot Study in Indonesian Small-scale Gillnet Fisheries with Reference to FAO’s Draft Guidelines on the Marking of Fishing Gear, Food and Agriculture Organization of the United Nations., Rome, 2018.
- [47] DNV List of Eligible Vessels Operating in the Maldives Pole and Line Skipjack Tuna (*Katsuwonus pelamis*) Fishery DNV GL Bus. Assur., Hovik, Nor. 2012.
- [48] DOS. 2020. *Longline Pollution Report*. Digital Observer Services, Erandio, Spain.
- [49] M. Downes, J. Carlin, Multilevel regression and poststratification versus survey sample weighting for estimating population quantities in large population health studies, *Am. J. Epidemiol.* 189 (2020) 717–725.
- [50] Drinkwin, J. 2017. Methods to Locate Derelict Fishing Gear in Marine Waters. Global Ghost Fishing Initiative, World Animal Protection, London.
- [51] EcoTrust, 2015. Electronic monitoring. www.ecotrust.ca/fisheries/main-electronicmonitoring. EcoTrust, Portland, Oregon, USA.
- [52] English, E., Wagner, C. & Holmes, J. 2019. *The Effects of Marine Debris on Beach Recreation and Regional Economies in Four Coastal Communities: A Regional Pilot Study*. National Oceanic and Atmospheric Administration, Silver Spring, USA.
- [53] F. Enrichetti, G. Bavestrello, F. Betti, F. Rindi, A. Tregrosso, M. Bo, Fate of lost fishing gears: experimental evidence of biofouling colonization patterns from the northwestern Mediterranean Sea, *Environ. Pollut.* 268 (2021), 115746.
- [54] EPA. 2010. Study of Discharges Incidental to Normal Operation of Commercial Fishing Vessels and Other Non-recreational Vessels less than 79 ft. Report to Congress. U.S. Environmental Protection Agency, Washington, D.C.
- [55] Escalle, L., Muller, B., Vidal, T., Hare, S., Hamer, P., Parties to the Nauru Agreement. 2021. Report on Analyses of the 2016–2021 PNA FAD Tracking Programme. WCPFC-SC17–2021/MI-IP-04. Western and Central Pacific Fisheries Commission, Kolonia, Federated States of Micronesia.
- [56] Z. Fahmi, Y. Hikmayani, T. Yunanda, P. Yudianto, W. Wudianto, B. Setyadi, Indonesia National Report to the Scientific Committee of the Indian Ocean Tuna Commission 2020. IOTC-2020-SC23-NR0, Indian Ocean Tuna Commission, Mahe, Seychelles, 2020, p. 7.
- [57] FAO, Recent Trends in Monitoring, Control and Surveillance Systems for Capture Fisheries. FAO Fisheries Technical Paper No. 415, Food and Agriculture Organization of the United Nations., Rome, 2002.
- [58] FAO, Voluntary Guidelines on the Marking of Fishing Gear, Food and Agriculture Organization of the United Nations, Rome, 2019.
- [59] FAO, Joint Analysis of Shark Post-Release Mortality Tagging Results. Workshop Proceedings. Areas Beyond National Jurisdiction Program, Food and Agriculture Organization of the United Nations, Rome, 2019.
- [60] FAO, The State of World Fisheries and Aquaculture 2020. Sustainability in Action, Food and Agriculture Organization of the United Nations., Rome, 2020.
- [61] C. Fernandez, P. Hanapathiraju, G. Macho, G. Anhalzer, B. Ahlers, J. Humberstone, Fishery improvement project basic workplan, blue swimming crab, Palk Bay, India, SCS Glob. Serv. Emeryv. USA (2019).
- [62] C. Fernandez, P. Ganapathiraju, MSC pre-assessment report. Palk Bay, India, blue swimming crab (*Portunus pelagicus*) gillnet fishery, SCS Glob. Serv. Emeryv. USA (2019).
- [63] J. Filmlalter, M. Capello, J. Deneubourg, P. Cowley, L. Dagorn, Looking behind the curtain: Quantifying massive shark mortality in fish aggregating devices, *Efont. Ecol. Environ.* 11 (2013) 291–296.
- [64] C. Foley, Z. Feiner, T. Malinich, T. Höök, A meta-analysis of the effects of exposure to microplastics on fish and aquatic invertebrates (doi.org/), *Sci. Total Environ.* 631–632 (2018) 550–559, <https://doi.org/10.1016/j.scitotenv.2018.03.046> (doi.org/).
- [65] Foster, F., Bergmann C. 2012. Bluefin tuna bycatch mitigation research in the Gulf of Mexico pelagic longline yellowfin tuna fishery. In: International Symposium on circle hooks in research, management, and conservation - abstracts. *Bulletin of Marine Science* 88:797. DOI: 10.5343/bms.2012.1031.
- [66] Fréon, P., Dagorn, L. 2000. Review of fish associative behavior: Toward a generalization of the meeting point hypothesis. *Reviews in Fish Biology and Fisheries* 10: 183–207.
- [67] S. Galafassi, L. Nizzetto, P. Volta, Plastic sources: a survey across scientific and grey literature for their inventory and relative contribution to microplastics pollution in natural environments, with an emphasis on surface water, *Sci. Total Environ.* 693 (2019), 133499.
- [68] A. Gallagher, N. Hammerschlag, A. Danylchuk, S. Cooke, Shark recreational fisheries: status, challenges and research needs, *Ambio* 46 (2016) 385–398.
- [69] Gascoigne J., Kolody D., Sieben C., Cartwright I. 2015. MSC Public Certification Report. The SZLC, HNSFC and CFA Cook Islands EEZ South Pacific Albacore Longline Fishery. ME Certification, Hampshire, UK.
- [70] GESAMP. 2021. Sea-based Sources of Marine Litter. Rep. Stud. Gilardi, K., ed. GESAMP. No. 108. Joint Group of Experts on the Scientific Aspects of Marine Environmental Protection, International Maritime Organization, London.
- [71] GESAMP. 2015. Sources, Fate and Effects of Microplastics in the Marine Environment: A Global Assessment. Kershaw, P.J., ed. Rep. Stud. GESAMP No. 90. Joint Group of Experts on the Scientific Aspects of Marine Environmental Protection, International Maritime Organization, London.
- [72] GESAMP, Sources, Fate and Effects of Microplastics in the Marine Environment: Part Two of a Global Assessment, in: P.J. Kershaw, C.M. Rochman (Eds.), Rep. Stud. GESAMP No. 93. Joint Group of Experts on the Scientific Aspects of Marine Environmental Protection, International Maritime Organization, London, 2016.
- [73] GGGI. 2017. Gear Marking in Indonesian Small-Scale Fisheries: A Pilot Project Case Study. Global Ghost Gear Initiative, Ocean Conservancy, Washington, D.C.
- [74] Gillett R., (2016). Pole-and-line Tuna Fishing in the World: Status and Trends. IPNLF Technical Report No.6. International Pole & Line Foundation, London.
- [75] E. Gilman, Status of international monitoring and management of abandoned, lost and discarded fishing gear and ghost fishing, *Mar. Policy* 60 (2015) 225–239.
- [76] E. Gilman, Biodegradable fishing gear: part of the solution to ghost fishing and marine pollution, *Anim. Conserv.* 19 (2016) 320–321.
- [77] E. Gilman, B. Bigler, B. Muller, G. Moreno, E. Largacha, M. Hall, F. Poisson, J. Toole, P. He, W. Chaing, Stakeholder Views on Methods to Identify Ownership and Track the Position of Drifting Fish Aggregating Devices Used by Tuna Purse Seine Fisheries with Reference to FAO’s Draft Guidelines on the Marking of Fishing Gear. FAO Fisheries Circular 1163, Food and Agriculture Organization of the United Nations, Rome, 2018.
- [78] E. Gilman, M. Chaloupka, Y. Swimmer, S. Piovano, A cross-taxa assessment of pelagic longline bycatch mitigation measures: conflicts and mutual benefits to elasmobranchs, *Fish Fish.* 17 (2016) 748–784.
- [79] E. Gilman, F. Chopin, P. Suuronen, B. Kuemlangan, Abandoned, Lost and Discarded Gillnets and Trammel Nets. Methods to Estimate Ghost Fishing Mortality, and Status of Regional Monitoring and Management. FAO Fisheries and Aquaculture Technical, Food and Agriculture Organization of the United Nations, Rome, 2016. Paper 600. ISBN 978-92-5-108917-0.
- [80] E. Gilman, M. Chaloupka, P. Bach, H. Fennell, M. Hall, M. Musyl, S. Piovano, F. Poisson, L. Song, Effect of pelagic longline bait type on species selectivity: a global synthesis of evidence, *Rev. Fish. Biol. Fish.* 30 (2020) 535–551.
- [81] E. Gilman, M. Chaloupka, L. Dagorn, M. Hall, A. Hobday, M. Musyl, T. Pitcher, F. Poisson, V. Restrepo, P. Suuronen, Robbing Peter to pay Paul: Replacing unintended cross-taxa conflicts with intentional tradeoffs by moving from piecemeal to integrated fisheries bycatch management, *Rev. Fish. Biol. Fish.* 29 (2019) 93–123.
- [82] E. Gilman, M. Chaloupka, M. Musyl, Effects of pelagic longline hook size on species- and size-selectivity and survival, *Rev. Fish. Biol. Fish.* 28 (2018) 417–433.
- [83] E. Gilman, S. Clarke, N. Brothers, J. Alfaro-Shigueto, J. Mandelman, J. Mangel, S. Petersen, S. Piovano, N. Thomson, P. Dalzell, M. Donoso, M. Goren, T. Werner, Shark interactions in pelagic longline fisheries, *Mar. Policy* 32 (2008) 1–18.
- [84] E. Gilman, J. Gearhart, B. Price, S. Eckert, J. Milliken, J. Wang, Y. Swimmer, D. Shiode, O. Abe, S. Peckham, M. Chaloupka, M. Hall, J. Mangel, J. Alfaro-Shigueto, P. Dalzell, A. Ishizaki, Mitigating sea turtle bycatch in coastal passive net fisheries, *Fish Fish.* 11 (1) (2010) 57–88.
- [85] E. Gilman, G. Legorburu, A. Fedoruk, C. Heberer, M. Zimring, A. Barkai, Increasing the functionalities and accuracy of fisheries electronic monitoring systems, *Aquat. Conserv.* 29 (2019) 901–926.
- [86] E. Gilman, M. Musyl, P. Suuronen, M. Chaloupka, S. Gorgin, J. Wilson, B. Kuczenski, Highest risk abandoned, lost and discarded fishing gear, *Sci. Rep.* 11 (2021) 7195, <https://doi.org/10.1038/s41598-021-86123-3>.
- [87] E. Gilman, K. Passfield, K. Nakamura, Performance of regional fisheries management organizations: ecosystem-based governance of bycatch and discards, *Fish Fish.* 15 (2014) 327–351.
- [88] E. Gilman, P. Suuronen, M. Chaloupka, Discards by global tuna fisheries, *Mar. Ecol. Prog. Ser.* 582 (2017) 231–252.
- [89] T. Good, J. June, M. Etnier, G. Broadhurst, Derelict fishing nets in puget sound and the northwest straits: patterns and threats to marine fauna, *Mar. Pollut. Bull.* 60 (2010) 39–50.
- [90] A. Goodman, S. Brilliant, T. Walker, M. Bailey, C. Callaghan, A ghostly issue: managing abandoned, lost and discarded lobster fishing gear in the Bay of Fundy in Eastern Canada, *Ocean Coast. Manag.* 181 (2019), 104926.
- [91] Goodman, A., McIntyre, J., Smith, A., Fulton, L., Walker, T., Brown, C., 2021. Retrieval of abandoned, lost, and discarded fishing gear in Southwest Nova Scotia, Canada: Preliminary environmental and economic impacts to the commercial lobster industry. *Marine Pollution Bulletin* 171: 112766.
- [92] T. Grade, P. Campbell, T. Cooley, M. Kneeland, E. Leslie, B. MacDonald, J. Melotti, J. Okoniewski, E.J. Parmley, C. Perry, H. Vogel, M. Pokras, Lead poisoning from ingestion of fishing gear: a review, *Ambio* 48 (2019) 1023–1038.
- [93] E. Grimaldo, B. Herrmann, N. Jacques, S. Kubowicz, K. Cerebule, B. Su, R. Larsen, J. Vollstad, The effect of long-term use on the catch efficiency of biodegradable gillnets, *Mar. Pollut. Bull.* 161 (2020), 111823.
- [94] S. Hackett, M. Krachey, C. Dewees, D. Hankin, K. Sortais, An economic overview of Dungeness crab (*Cancer magister*) processing in California, *Calif. Coop. Ocean. Fish. Investig. Rep.* 44 (2003) 86–93.
- [95] M. Hall, M. Roman, Bycatch and Non-Tuna Catch in the Tropical Tuna Purse Seine Fisheries of the World. FAO Fisheries and Aquaculture Technical Paper No. 568, FAO, Rome, 2013.
- [96] B.S. Halpern, S. Walbridge, K.A. Selkoe, C.V. Kappel, F. Micheli, C. D’Agrosa, J. F. Bruno, K.S. Casey, C. Ebert, H.E. Fox, R. Fujita, D. Heinemann, H.S. Lenihan, E. M. Madin, M.T. Perry, E.R. Selig, M. Spalding, R. Steneck, R. Watson, A global map of human impact on marine ecosystems, *Science* 319 (2008) 948–952.
- [97] Q. Hanich, R. Davis, G. Holmes, E. Amidjogbe, B. Campbell, Drifting Fish Aggregating Devices (FADs): Deploying, soaking and setting—When is a FAD ‘Fishing’? *Int. J. Mar. Coast. Law* 34 (4) (2019) 731–754.
- [98] G.C. Hays, H. Bailey, S.J. Bograd, W.D. Bowen, C. Campagna, R.H. Carmichael, P. Casale, A. Chiaradia, D.P. Costa, E. Cuevas, P.J. Nico de Bruyn, M.P. Dias, C.

- M. Duarte, D.C. Dunn, P.H. Dutton, N. Esteban, A. Friedlaender, K.T. Goetz, B. J. Godley, P.N. Halpin, M. Hamann, N. Hammerschlag, R. Harcourt, A. L. Harrison, E.L. Hazen, M.R. Heupel, E. Hoyt, N.E. Humphries, C.Y. Kot, J. Lea, H. Marsh, S.M. Maxwell, C.R. McMahon, G. Notarbartolo di Sciara, D.M. Palacios, R.A. Phillips, D. Righton, G. Schofield, J.A. Seminoff, C.A. Simpfendorfer, D. W. Sims, A. Takahashi, M.J. Tetley, M. Thums, P.N. Trathan, S. Villegas-Amtmann, R.S. Wells, S.D. Whiting, N.E. Wildermann, A. Sequeira, Translating marine animal tracking data into conservation policy and management, *Trends Ecol. Evol.* 34 (2019) 459–473.
- [99] P. He, P. Suuronen, Technologies for the marking of fishing gear to identify gear components entangled on marine animals and to reduce abandoned, lost or otherwise discarded fishing gear, *Mar. Pollut. Bull.* 129 (2018) 253–261.
- [100] Huntington, T. 2017. Development of a Best Practice Framework for the Management of Fishing Gear. Part 2. Best Practice Framework for the Management of Fishing Gear. Global Ghost Gear Initiative, World Animal Protection, London.
- [101] H.R. Huber-Stearns, D.E. Bennett, S. Posner, R.C. Richards, J.B.H. Fair, S.J. M. Cousins, C.L. Romulo, Social-ecological enabling conditions for payments for ecosystem services, *Ecol. Soc.* 22 (1) (2017) 18.
- [102] ICPC. 2021. ICPC White Paper: Fish Aggregation Devices, Their Impact on Submarine Cables, and Recommended Mitigation. Version 1.3. International Cable Protection Committee, Portsmouth, UK.
- [103] IMO. 2011. Annex 13. Resolution MEPC.201(62). Adopted on 15 July 2011. Amendments to the Annex of the Protocol of 1978 Relating to the International Convention for the Prevention of Pollution from Ships, 1973. (Revised MARPOL Annex V). MEPC 62/24. Marine Environment Protection Committee, International Maritime Organization, London.
- [104] IMO. 2017. Annex 21. Resolution MEPC.295(71). Adopted on 7 July 2017. 2017 Guidelines for the Implementation of MARPOL Annex V. Marine Environment Protection Committee, International Maritime Organization, London.
- [105] IMO. 2018. Action Plan to Address Marine Plastic Litter from Ships. Resolution MEPC.310(73). Marine Environmental Protection Committee, International Maritime Organization, London.
- [106] K. James, N. Campbell, J. Vidarsson, et al., Tools and technologies for the monitoring, control and surveillance of unwanted catches, in: S. Uhlmann, C. Ulrich, S. Kennelly (Eds.), *The European Landing Obligation*, Springer Open, Cham, Switzerland, 2019, pp. 363–382.
- [107] A.R. Jauharee, M.S. Adam, The Evolving Maldivian Tuna Fishery and its Increasing Dependence on the Anchored FADs. IOTC-2-12-WPTT1, Indian Ocean Tuna Commission, Mahe, Seychelles, 2012, pp. 4–10.
- [108] A. Johnson, G. Salvador, J. Kenney, J. Robbins, S. Kraus, S. Landry, P. Clapham, Fishing gear involved in entanglements of right and humpback whales, *Mar. Mammal. Sci.* 21 (2005) 635–645.
- [109] Kahneman D. (2011) *Thinking, Fast and Slow*. Farrar, Straus, Giroux, New York.
- [110] M. Kaiser, B. Bullimore, P. Newman, K. Lock, S. Gilbert, Catches in 'ghost fishing' set nets, *Mar. Ecol. Prog. Ser.* 145 (1996) 11–16.
- [111] Kerala DoF. 2018. The Kerala Marine Fishing Regulation Rules 2018. (<http://www.fisheries.kerala.gov.in/acts/rules>). Department of Fisheries, Government of Kerala, Thiruvananthapuram, India.
- [112] J.P. Kilfoil, B.M. Wetherbee, J.K. Carlson, D.A. Fox, Targeted catch-and-release of prohibited sharks: sand tigers in coastal Delaware waters, *Fisheries* 42 (2017) 281–287.
- [113] D. Knip, M. Heupel, C. Simpfendorfer, Evaluating marine protected areas for the conservation of tropical coastal sharks, *Biol. Conserv.* 148 (2012) 200–209.
- [114] J. Kolding, C. Bene, M. Bavinck, Small-scale fisheries - importance, vulnerability and deficient knowledge, in: S. Garcia, J. Rice, A. Charles (Eds.), *Governance for Marine Fisheries and Biodiversity Conservation. Interaction and Coevolution*, Wiley-Blackwell, Hoboken, 2014, pp. 317–331.
- [115] S. Krause, M. Molari, E. Gorb, S. Gorb, E. Kossel, M. Haeckel, Persistence of plastic debris and its colonization by bacterial communities after two decades on the abyssal seafloor, *Sci. Rep.* 10 (2020) 9484.
- [116] B. Kuczenski, C. Vargas, E. Gilman, M. Musyl, R. Geyer, J. Wilson, Plastic gear loss estimates from remote observation of industrial fishing activity, *Fish Fish.* 23 (2021) 22–33, <https://doi.org/10.1111/faf.12596>.
- [117] Leney, A., Blaha, F., Lee, R. 2021. An Assessment of Fishing Vessel Plastic Waste Generation in the WCPO Region – and Potential Measures to Improve Waste Management in the Fleet. Pacific Islands Forum Fisheries Agency, Honiara, Solomon Islands.
- [118] J. Leonart, B. Morales-Nin, E. Massuti, S. Deudero, O. Reñones, Population dynamics and fishery of dolphinfish (*Coryphaena hippurus*) in the western Mediterranean, *Sci. Mar.* 63 (1999) 447–457.
- [119] Macfadyen, G., Huntington, T., Cappel, R. 2009. *Abandoned, Lost or Otherwise Discarded Fishing Gear*. UNEP Regional Seas Reports and Studies 185. FAO Fisheries and Aquaculture Technical Paper 523. ISBN 978–92-5–106196-1. United Nations Environment Programme and Food and Agriculture Organization of the United Nations, Nairobi and Rome.
- [120] P. MacMullen, N. Hareide, D. Furevik, P. Larsson, V. Tschernij, et al., A Study to Identify, Quantify and Ameliorate the Impacts of Static Gear Lost at Sea. FANTARED, Sea Fish Industry Authority, Hull, UK, 2003, p. 2.
- [121] E. Macusi, R. Babaran, P. Zwieter, Strategies and tactics of tuna fishers in the payao (anchored FAD) fishery from General Santos City, Philippines, *Mar. Policy* 62 (2015) 63–73.
- [122] S. Martin, T. Cambridge, C. Grieve, F. Nimmo, D. Agnew, An evaluation of environmental changes within fisheries involved in the Marine Stewardship Council certification scheme, *Rev. Fish. Sci.* 20 (2012) 61–69.
- [123] H. McElderry, At-sea observing using video-based electronic monitoring. Electronic Monitoring Workshop, Archipelago Marine Research Ltd, Vancouver, 2008. (www.afma.gov.au/wpcontent/uploads/2010/06/EM_Videobased_07.pdf).
- [124] B. Meenakumari, M. Boopendranath, L. Edwin, T. Sankar, N. Gobap, G. Ninan (Eds.), *Coastal Fishery Resource of India. Conservation and Sustainable Use*, Society of Fisheries Technologists, Cochin, India, 2010.
- [125] Metcalfe R., Bentley A. (2020) Net Cuttings Waste from Fishing in the North-East Atlantic: Best Practices for Mitigation. Prepared for the Swedish Agency for Marine and Water Management. KIMO International, Shetland, UK.
- [126] MFMRA. 2020. Maldives National Report to the Scientific Committee of the Indian Ocean Tuna Commission, 2020. IOTC-2020-SC23-NR13. Ministry of Fisheries, Marine Resources and Agriculture, Male, Maldives.
- [127] K. Miller, I. Nadheeh, A. Jauharee, R. Anderson, S. Adam, Bycatch in the Maldivian pole-and-line tuna fishery, *PLoS ONE* 12 (2017), e0177391.
- [128] MMAF. 2014. Ministerial Regulation No. 26/ PERMEN-KP/2014 Concerning FADs (Rumpon). Ministry of Marine Affairs and Fisheries, Republic of Indonesia.
- [129] MMAF. 2021a. Indonesian Fisheries in WCPCF Convention Area 2020. Scientific Data to be Provided to the Commission. Ministry of Marine Affairs and Fisheries, Republic of Indonesia, Jakarta.
- [130] MMAF. Ministerial Regulation No. 18/ PERMEN-KP/2021 (Permen KP No. 18 Tahun 2021) Concerning the Placement of Fishing Equipment and Fishing Aids in the Fisheries Management Area of the Republic of Indonesia and the High Seas and Arrangement of Fishing. Ministry of Marine Affairs and Fisheries, Republic of Indonesia. Perikanan, K. K. d. (ed Direktorat Jenderal Perikanan Tangkap.
- [131] M. Moazzam, A. Gallagher, H. Aisha, R. Nawaz, T. Rasheed, Contribution of Tuna Gillnet Fisheries of Pakistan towards Abandoned, Lost or Otherwise Discarded Fishing Gears (ALDFG). IOTC-2021-WPEB19(AS)-19, Indian Ocean Tuna Commission, Mahe, Seychelles, 2021.
- [132] M.J. Moore, J.M. Van Der Hoop, The painful side of trap and fixed net fisheries: chronic entanglement of large whales, *J. Mar. Biol.* 2012 (2012) 1–4.
- [133] C. Mora, R.A. Myers, M. Coll, S. Libralato, T.J. Pitcher, R.U. Sumaila, D. Zeller, R. Watson, K.J. Gaston, B. Worm, Management effectiveness of the world's marine fisheries, *PLoS Biol.* 7 (2009), e1000131.
- [134] MSC. 2021. Fisheries Standard Review. Supporting the Prevention of Gear Loss and Ghost Fishing. Impact Assessment Report. By McLennan, S., Cappell, R., Huntington, T. Marine Stewardship Council, London.
- [135] G. Mucientes, N. Queiroz, Presence of plastic debris and retained fishing hooks in oceanic sharks, *Mar. Pollut. Bull.* 143 (2019) 6–11.
- [136] M. Musyl, E. Gilman, Meta-analysis of post-release fishing mortality in apex predatory pelagic sharks and white marlin, *Fish Fish.* 20 (2019) 466–500.
- [137] J. Nichols, W. Kendall, G. Boomer, Accumulating evidence in ecology: once is not enough, *Ecol. Evol.* 9 (2019) 13991–14004, <https://doi.org/10.1002/ece3.5836>.
- [138] NOAA Marine Debris Program. 2021. Increasing the Efficiency of Locating and Removing Ghost Nets in the Upper Great Lakes. (<https://marinedebris.noaa.gov/removal/increasing-efficiency-locating-and-removing-ghost-nets-upper-great-lakes>). NOAA Marine Debris Program, National Oceanic and Atmospheric Administration, Washington, D.C.
- [139] NWIFC. 2015. *Quinault Indian Nation Crab Fleet Pioneering Electronic Monitoring for Catch*. (<https://nwtreatytribes.org/quinault-indian-nation-crab-fleet-pioneering-electronic-monitoring-for-catch/>). Northwest Indian Fisheries Commission, Olympia, Washington, USA.
- [140] OECD. 2021. Towards G7 Action to Combat Ghost Fishing Gear. OECD Environment Policy Paper No. 25. Organisation for Economic Cooperation and Development, OECD Environment Directorate, Paris.
- [141] T. Oliveira, A. Silva, R. Moura, R. Bagattini, A. Oliveira, M. Medeiros, P. Mascio, I. Campos, F. Barretto, E. Bechara, A. Loureiro, Luminescent threat: toxicity of light stick attractors used in pelagic fishery, *Sci. Rep.* 4 (2014) 11.
- [142] OSPAR. 2020. OSPAR Scoping Study on Best Practices for the Design and Recycling of Fishing Gear as a Means to Reduce Quantities of Fishing Gear Found as Marine Litter in the North-East Atlantic. OSPAR Commission, London.
- [143] Pacific Community, Western and Central Pacific Fisheries Commission Tuna Fishery Yearbook, Pacific Community, Noumea, New Caledonia, 2019, p. 2019.
- [144] H. Packer, W. Swartz, Y. Ota, M. Bailey, Corporate Social Responsibility (CSR) practices of the largest seafood suppliers in the wild capture fisheries sector: from vision to action, *Sustainability* 11 (2019) 2254.
- [145] S. Pascoe, Use of incentive-based management systems to limit bycatch and discarding, *Int. Rev. Environ. Resour. Econ.* 4 (2010) 123–161.
- [146] D. Pauly, R. Watson, J. Alder, Global trends in world fisheries: impacts on marine ecosystems and food security, *Philos. Trans. R. Soc. Lond. Ser. B Biol. Sci.* 360 (1453) (2005) 5–12.
- [147] L. Pfeiffer, T. Gratz, The effect of rights-based fisheries management on risk taking and fishing safety, *PNAS* 113 (2016) 2615–2620.
- [148] PPMC. 2013. *Pacific Coast Fishery Ecosystem Plan for the U.S. Portion of the California Current Large Marine Ecosystem*. Pacific Fishery Management Council, Portland, Oregon, USA.
- [149] G. Pinho, P. Ihara, G. Fillmann, Does light-stick content pose any threat to marine organisms? *Environ. Toxicol. Pharmacol.* 27 (2009) 155–157.
- [150] T. Pitcher, D. Kalikoski, G. Pramod, K. Short, Not honoring the code, *Nature* 457 (2009) 658–659.
- [151] T.J. Pitcher, D. Kalikoski, K. Short, D. Varkey, G. Pramod, An evaluation of progress in implementing ecosystem-based management of fisheries in 33 countries, *Mar. Policy* 33 (2009) 223–232.
- [152] F. Poisson, S. Catteau, C. Chiera, J.-M. Groul, The effect of hook type and trailing gear on hook shedding and fate of pelagic stingray (*Pteroplatytrygon violacea*): New insights to develop effective mitigation approaches, *Mar. Policy* 107 (2019), 103594.

- [154] R. Pomeroy, L. Garces, M. Pido, G. Silvestre, Ecosystem-based fisheries management in small-scale tropical marine fisheries: emerging models of governance arrangements in the Philippines, *Mar. Policy* 34 (2010) 298–308.
- [155] C. Proctor, M. Natsir, Mahiswara, A. Widodo, A. Utama, Wudianto, F. Satria, I. Hargiyatno, I. Sedana, S. Cooper, L. Sadiyah, E. Nurdin, R. Anggawangsa, K. Susanto, A Characterisation of FAD-Based Tuna Fisheries in Indonesian Waters. ACIAR Project FIS/2009/059, Australian Centre for International Agricultural Research, Canberra, 2019. ISBN: 978-0-646-80326-5.
- [156] PT Hatfield Indonesia (2016). FAD (Fish Aggregating Device) Fishing in Indonesia. Report prepared for The Nature Conservancy's Fisheries Conservation Program. PT Hatfield Indonesia.
- [157] Pullin A., Frampton G., Livoreil B., Petrokofsky G. (Eds). 2021. Guidelines and Standards for Evidence Synthesis in Environmental Management. Version 5.0. Collaboration for Environmental Evidence.
- [158] QIN, 2015. 2015–16 Ocean Crab Electronic Monitoring Regulation. (www.quinaulindiannation.com/Fishing%20Regs/Ocean%20Crab%20Electronic%20Monitoring%20Regulation.pdf). Quinault Indian Nation, Taholah, Washington, USA.
- [159] Ramalingan, L., Mudumala, V., Das, A., Siva, A., Sanadi, R., Tailor, R., Mali, K., Prathiba, R., Sathianandan, T., Varghese, S., Pandey, S. 2020. India's National Report to the Scientific Committee of the Indian Ocean Tuna Commission 2020. IOTC-2020-SC23 nr06. Indian Ocean Tuna Commission, Mahe, Seychelles.
- [160] M.R.W. Rands, W.M. Adams, L. Bennun, S.H.M. Buchart, A. Clements, D. Coomes, A. Entwistle, I. Hodge, V. Kapos, J.P.W. Scharlemann, W.J. Sutherland, B. Vira, Biodiversity conservation: challenges beyond 2010, *Science* 329 (2010) 1298–1303.
- [161] K. Richardson, R. Gunn, C. Wilcox, B. Hardesty, Understanding causes of gear loss provides a sound basis for fisheries management, *Mar. Policy* 96 (2018) 278–284.
- [162] K. Richardson, B. Hardesty, J. Vince, C. Wilcox, Global causes, drivers, and prevention measures for lost fishing gear, *Front. Mar. Sci.* (2021), <https://doi.org/10.3389/fmars.2021.6900447>.
- [163] K. Richardson, D. Haynes, A. Talouti, M. Donoghue, Marine pollution originating from purse seine and longline fishing vessel operations in the Western and Central Pacific Ocean, 2003–2015, *Ambio* 46 (2017) 190–200.
- [164] K. Richardson, C. Wilcox, J. Vince, B. Hardesty, Short Communication. Challenges and misperceptions around global fishing gear loss, *Mar. Policy* (2021), 104522.
- [165] M. Rickinson, Learners and learning in environmental education: a critical review of the evidence, *Environ. Educ. Res.* 7 (2001) 207–320.
- [166] C. Rochman, The complex mixture, fate and toxicity of chemicals associated with plastic debris in the marine environment, in: M. Bergmann, L. Gutow, M. Klages (Eds.), *Marine Anthropogenic Litter*, Springer, New York, 2015, pp. 117–140.
- [167] C. Roheim, S. Bush, F. Asche, J. Sanchirico, H. Uchida, Evolution and future of the sustainable seafood market, *Nat. Sustain.* 1 (2018) 392–398.
- [168] S. Rouse, P. Hayes, T. Wilding, Commercial fisheries losses arising from interactions with offshore pipelines and other oil and gas infrastructure and activities, *ICES J. Mar. Sci.* 77 (2020) 1148–1156.
- [169] Y. Rousseau, R. Watson, J. Blanchard, E. Fulton, Evolution of global marine fishing fleets and the response of fished resources, *PNAS* 25 (2019) 12238–12243.
- [170] Saez L., Lawson D., DeAngelis M. 2021. Large Whale Entanglements off the U.S. West Coast, from 1982–2017. NOAA Tech. Memo. NMFS-OPR-63A. National Marine Fisheries Service, Silver Spring.
- [171] J.A. Santora, N.J. Mantua, I.D. Schroeder, J.C. Field, E.L. Hazen, S.J. Bograd, W. J. Sydeman, B.K. Wells, J. Calambokidis, L. Saez, D. Lawson, K.A. Forney, Habitat compression and ecosystem shifts as potential links between marine heatwave and record whale entanglements, *Nat. Commun.* 11 (2020) 536.
- [172] M. Santos, H. Saldanha, M. Gaspar, C. Monteiro, Causes and rates of net loss off the Algarve (southern Portugal), *Fish. Res.* 64 (2003) 115–118.
- [173] M. Sarstedt, P. Bengart, A. Shaltoni, S. Lehmann, The use of sampling methods in advertising research: A gap between theory and practice, *Int. J. Advert.* 37 (2018) 650–663.
- [174] A. Scheld, D. Bilkovic, D. Havens, The dilemma of derelict gear, *Sci. Rep.* 6 (2016) 19671.
- [175] M. Shainee, B. Leira, On the cause of premature FAD loss in the Maldives, *Fish. Res.* 109 (2011) 42–53.
- [176] M. Sinopoli, T. Cillari, F. Andaloro, C. Berti, P. Consoli, F. Galgani, T. Romeo, Are FADs a significant source of marine litter? Assessment of released debris and mitigation strategy in the Mediterranean Sea, *J. Environ. Manag.* 253 (2020), 109749.
- [177] D. Squires, R. Lent, P. Dutton, L. Dagorn, L. Balance, Credit systems for bycatch and biodiversity conservation, *Front Mar. Sci.* 8 (2021), <https://doi.org/10.3389/fmars.2021.613279>.
- [178] State of California. 2018. Fishing Omnibus Bill of 2018. Senate Bill No. 1309. State of California, Sacramento.
- [179] B. Stevens, The ups and downs of traps: environmental impacts, entanglement, mitigation and the future of trap fishing for crustaceans and fish, *ICES J. Mar. Sci.* 78 (2021) 584–596.
- [180] What Works in Conservation, in: W. Sutherland, L. Dicks, S. Petrovan, R. Smith (Eds.), Open Book, Publishers, Cambridge, UK, 2021.
- [181] C. Sukhsangchan, S. Phuynoi, Y. Monthum, N. Whanpetch, N. Kulanujaree, Catch composition and estimated economic impacts of ghost-fishing squid traps near Suan Son Beach, Rayong province, Thailand, *ScienceAsia* 46 (2020) 87–92.
- [182] A. Sutton, Publication bias, in: H. Cooper, L. Hedges, J. Valentine (Eds.), *Handbook of Research Synthesis and Meta-Analysis*, second ed., Russell Sage Foundation, New York, 2009, pp. 435–452.
- [183] P. Suuronen, F. Chopin, C. Glass, S. Lokkeberg, Y. Matsushita, D. Queirolo, D. Riha, Low impact and fuel efficient fishing—Looking beyond the horizon, *Fish. Res.* 119–120 (2012) 135–146.
- [184] B. Szuster, C. Steckler, B. Kullavanijaya, Detecting and managing coastal fisheries and aquaculture gear using satellite radar imagery, *Coast. Manag.* 36 (2008) 318–329.
- [185] S. Thomas, Gillnet fishing, in: I.N. India, B. Meenakumari, M. Boopendranath, L. Edwin, T. Sankar, N. Gobap, G. Ninan (Eds.), *Coastal Fishery Resource of India. Conservation and Sustainable Use*, Society of Fisheries Technologists, Cochin, India, 2010, pp. 314–326. ISBN: 978-81-901038-7-9.
- [186] S. Thomas, L. Edwin, S. Chinnadurai, et al., Food and Gear Loss from Selected Gillnet and Trammel Net Fisheries of India. FAO Fisheries and Aquaculture Circular No. 1204, Food and Agriculture Organization of the United Nations, Rome, 2020.
- [187] S. Thomas, K. Sandhya, Netting materials for fishing gear with special reference to resource conservation and energy saving, in: L. Edwin, et al. (Eds.), *ICAR Winter School Manual. Responsible Fishing: Recent Advances in Resource and Energy Conservation*, Central Institute of Fisheries Technology, Kochi, India, 2019, pp. 55–70.
- [188] TNC. 2019. Making the Sea Safer for Whales. Online at (<https://www.nature.org/en-us/about-us/where-we-work/united-states/california/stories-in-california/making-the-sea-safer-for-whales/>). The Nature Conservancy, Santa Barbara.
- [189] TNC. 2020. *Industry-led Lost Gear Recovery*. The Nature Conservancy, Santa Barbara.
- [190] R. Tourangeau, Remembering what happened: memory errors and survey reports, in: A. Stone, J. Turkkan, C. Bachrach, J. Jobe, H. Kurtzman, V. Cain (Eds.), *The Science of Self-Report*, Lawrence Erlbaum Associates, Mahwah, USA, 2000, pp. 29–47.
- [191] UNEA. 2017. Resolution 3/7 Marine litter and microplastics. Third session, Nairobi, Kenya, 4–16 December, 2017. United Nations Environment Assembly of the United Nations Environment Programme.
- [192] UNGA. 2015. *Resolution A/RES/70/1, Transforming Our World: The 2030 Agenda for Sustainable Development*. United Nations General Assembly, New York.
- [193] UNODC, Rotten fish: A guide on addressing corruption in the fisheries sector, United Nations Office on Drugs and Crime, Vienna, Austria, 2019.
- [194] J.W. Valdemarsen, Technological trends in capture fisheries, *Ocean Coast. Manag.* 44 (2001) 635–651.
- [195] J.M. van der Hoop, P. Corkeron, J. Kenney, S. Landry, D. Morin, J. Smith, M. J. Moore, Drag from fishing gear entangling North Atlantic right whales, *Mar. Mam. Sci.* 32 (2016) 619–642.
- [196] WAP. 2018. Pacific Island FAD Tracking and Marking Project. Global Ghost Gear Initiative, World Animal Protection.
- [197] P. Ward, E. Lawrence, R. Darbyshire, S. Hindmarsh, Large-scale experiment shows that nylon leaders reduce shark bycatch and benefit pelagic longline fishers, *Fish. Res.* 90 (2008) 100–108.
- [198] A. Widodo, X. Wudianto, F. Satria, Current status of the pole-and-line fishery in eastern part of Indonesia, *Indones. Fish. Res. J.* 22 (2016) 43–52, <https://doi.org/10.15578/ifrj.22.1.2016.43-52>.
- [199] A. Widyatmoko, B. Hardesty, C. Wilcox, Detecting anchored fish aggregating devices (AFADs) and estimating use patterns from vessel tracking data in small-scale fisheries, *Sci. Rep.* 11 (2021) 17909.
- [200] Wiedenfeld A., Crawford R., Pott, C. (2015) *Workshop Report: Reducing the Bycatch of Seabirds, Sea Turtles, and Marine Mammals in Gillnets, 21–23 January 2015*. American Bird Conservancy and BirdLife International, The Plains, USA and Sandy, UK.
- [201] T. Zabka, M. Haulena, B. Puschner, F. Gulland, P. Conrad, L. Lowenstine, Acute lead toxicosis in a harbor seal (*Phoca vitulina richardsi*) consequent to ingestion of a lead fishing sinker, *J. Wildl. Dis.* 42 (2006) 651–657.

Supplemental Material

Matching fishery-specific drivers of abandoned, lost and discarded fishing gear to relevant interventions

Eric Gilman, Jenn Humberstone, Jono Wilson, Emmanuel Chassot, Alexis Jackson, Petri Suuronen

S1. ALDFG Sequential Mitigation Hierarchy

A sequential mitigation hierarchy framework has been included in environmental impact assessment policies for terrestrial and coastal natural resources since the 1970s, and has been recommended to achieve a goal of no net loss or net gain of biodiversity (NEPA, 1969; BBOP, 2012; IUCN, 2016; UNEP-WCMC, 2016; Milner-Gulland et al., 2018; Arlidge et al., 2020; Maron et al., 2020). This framework has recently been applied to categorize methods to mitigate ALDFG (Macfadyen et al., 2009; Gilman et al., 2016). This study adapted the four tiers of avoid, minimize, remediate and offset as typically included in a sequential mitigation hierarchy for terrestrial and coastal natural resources and fisheries bycatch (IUCN, 2016; Milner-Gulland et al. 2018; Booth et al., 2020; Maron et al., 2020). This study excluded mitigation methods that offset residual impacts from ALDFG that were not avoided, minimized and remediated by obtaining an equivalent gain (i.e., no net loss) or a net gain (Coralie et al., 2015; IUCN, 2016; Maseyk et al., 2016; Arlidge et al., 2018).

The catch sector could either implement ALDFG offset activities directly or through offset funding, by paying an entity to implement them on their behalf. For example, a fishing vessel or fleet could offset their unavoidable and minimized production of ALDFG by detecting and removing ALDFG, or paying an entity to implement these remedial activities. Revenue raised from economic penalties for ALDFG-related infractions could be used for ALDFG offset measures. A 'polluter pays' system that requires individual vessels or a fishery to pay a levy (tax) (Squires et al. 2021) could be used to raise funds for interventions that offset ALDFG production or offset the adverse effects of ALDFG. The amount of the tax could be adjusted based on characteristics of the ALDFG produces, including the gear type, gear component, material, gear design, amount and location where the derelict gear was produced, which are variables that could be used to estimate the relative risk of adverse consequences of the ALDFG (Gilman et al., 2021). For example, ghost fishing removals of marine turtles or habitat damaged predicted to be caused by ALDFG could be offset through compensatory mitigation, where these ALDFG consequences are mitigated through marine turtle and habitat conservation activities that, in theory, would not otherwise have been implemented. However, problems with lack of performance, temporal lags in offsetting residual losses, lack of equivalency if mitigation is conducted off-site and out-of-kind (e.g., ALDFG removes adult age classes of a marine turtle population but compensatory mitigation activities benefit juvenile age classes of a different population), and because some manifestations of biodiversity, such as losses in genetic diversity, are irreplaceable – they cannot be offset, could occur when compensatory mitigation is applied to ALDFG (BBOP 2012; Maseyk et al. 2016; Ermgassen et al. 2019). Prerequisites for ALDFG offset programs include effective monitoring and surveillance systems to detect ALDFG production and characteristics, which is a high bar that is not being met by most fisheries (Gilman et al., 2014).

S2. ALDFG Mitigation and Enabling Interventions and Examples

Table S1 identifies categories of methods for mitigating abandoned, lost and discarded fishing gear (ALDFG) and enabling measures that provide incentives to implement ALDFG mitigation methods, illustrative examples, and in some cases provides details on the definition of the method. The order that methods are listed in Table S1 follow Table 2. See Table 2 for the category within a sequential mitigation hierarchy; approaches that enable compliance monitoring and the causes of derelict gear production that each method has the capacity to mitigate.

Table S1. ALDFG mitigation and enabling interventions and illustrative examples.¹ Methods with an asterisk are approaches that would be used specifically to mitigate derelict gear, while other approaches may be employed for broader applications.

Mitigation and Enabling Methods	Examples
Area-based management tools - static and dynamic time-area restrictions	<ul style="list-style-type: none"> * Zoning to spatially or temporally separate gear types to avoid gear conflicts (e.g., passive gear being towed away by mobile gear) that result in gear loss. For example, in Devon, UK, a voluntary Inshore Potting Agreement designates areas for exclusive use by static or towed gear use, and for seasonal separation of static and towed gear use. * Zoning to avoid marine vessels from towing away fishing gear, severing marker buoys and buoy lines, etc. (and to minimize in-use and derelict fishing gear from obstructing navigation). * Closed fishing areas where there is high risk of gear snagging on seabed features, debris and infrastructure (e.g., offshore oil and gas pipelines and wellheads, and submarine cables). * Closed areas for deployment of drifting fish aggregating devices (dFADs) identified as hotspots for grounding and abandonment (via deactivation of attached satellite buoys). * Restrictions on fishing depths of fleets of gillnets and pots to reduce risk of loss and increase likelihood of recovery if temporarily lost. * Restrictions on fishing during inclement weather (threshold current, sea state, presence of sea ice). * Dissemination of accurate weather forecasts - inform fishery participants of when and where sea conditions pose a risk of gear loss or abandonment, as well as fishing vessel safety.
*Communication within and between fishing fleets on the location of their gear	Formal or informal systems for fishing fleets operating at the same time and fishing grounds to communicate to enable avoiding gear conflicts that result in gear loss. For instance, in the Netherlands, a phone app allows gillnet fishers to provide trawlers with the location of their gear.
*Limit amount of gear allowed onboard	<ul style="list-style-type: none"> * Restrict the volume of fishing gear a vessel can possess based on available storage space, including when the fish hold is full * Restrict the amount of fishing gear per vessel based on the amount that can typically be practically retrieved
*Controls on at-sea disposal of debris and infrastructure installation and decommissioning practices	<ul style="list-style-type: none"> * Prohibitions on the disposal of debris, including from decommissioned oil and gas infrastructure, in areas with a high risk of snagging by demersal fishing gear * Implementation of installation and decommissioning practices for infrastructure, such as for offshore oil and gas, that avoids and minimizes the risk of snagging by demersal, mobile fishing gear, including: (i) burial of pipelines and clearing of clay berms in fishing grounds of demersal mobile gear, and (ii) the removal of small diameter, exposed oil and gas pipelines when decommissioned

Mitigation and Enabling Methods	Examples
Incinerators and compactors	Reduce the onboard storage space required for garbage, including unwanted fishing gear, by using a compactor, as described in Section 2.10 of the MARPOL Annex V implementation guidelines, and by using an incinerator, as described in Section 2.11 of the MARPOL Annex V implementation guidelines, and following regulation 16 of MARPOL Annex VI on air pollution criteria. (Note, MARPOL Annex V prohibits the discharge into the sea of ash from shipboard incinerators).
Input and output controls	<p>Restrictions on fishing effort and on catch levels cap the amount and duration of fishing effort, which in turn caps ALDFG risk.</p> <ul style="list-style-type: none"> * Input controls on the amount of gear that is deployed and on soak duration of static gear can reduce the risk that gear becomes lost, especially for unattended passive gear. * Input controls on the duration of fishing trips might reduce the risk that the volume of accumulated worn gear exceeds storage capacity. * Buyback programs reduce or eliminate fishing capacity * Vessel-based limit on the number of dFADs with instrumented satellite buoys * Catch limits (trip and seasonal, individual and fleet-wide). If exceeding a fleetwide quota triggers a fishery closure, this would eliminate ALDFG while the closure remains in effect. * Individual transferable quotas or catch shares can eliminate a race for fish and associated risk-taking behavior that can result in gear loss and abandonment, as well as unsafe conditions. * Required removal of gear, including drifting and anchored FADs, during off seasons and closed periods can reduce the risk of gear abandonment and loss.
Periodic or continual attendance of passive gear	Requiring passive gear to be under frequent or continual observation reduces or avoids loss from the gear moving position, theft, vandalism, vessel strikes, and conflicts with mobile fishing gear.
Change in gear type	<ul style="list-style-type: none"> * Change from a gear type with a high ALDFG production rate to one with a low rate, such as from pelagic longline to troll or buoy gear * Change from a gear type whose ALDFG has relatively high adverse ecological and socioeconomic consequences to one with low adverse consequences, such as from pots with high ghost fishing efficiency to demersal longlines with low ghost fishing efficiency. * Some fishery bodies have banned the use of gillnets and trammel nets to avoid ghost fishing.
Continuous maintenance of gear and vessel equipment to replace and repair worn gear components and damaged equipment	<ul style="list-style-type: none"> * Regularly inspect and replace fishing lines when worn to reduce the risk of catch severing the line and escaping with terminal tackle attached * Regularly inspect and repair or replace anchored FAD moorings when worn * Regularly inspect and repair or replace malfunctioning vessel equipment, including haulers and gear tracking systems
Deterrence of illegal, unreported and unregulated (IUU) fishing	<ul style="list-style-type: none"> * Effective IUU deterrents may reduce incentives for abandoning gear in response to the risk of detection. * If unmarked gear is found in areas where it is required to be marked, then authorities can confiscate or disable the IUU gear (e.g., North East Atlantic Fisheries Commission).

Mitigation and Enabling Methods	Examples
	<ul style="list-style-type: none"> * Legal, policy, institutional and operational responsibilities of national fisheries management authorities, including coastal, flag and port States, to combat IUU fishing have been defined by binding and voluntary international instruments.
*Gear designs and materials that reduce gear loss	<ul style="list-style-type: none"> * Knowledge of fishing depth and current speed, and employ appropriate gear designs (e.g., buoy line length) for the environmental conditions * Designs for anchored FAD anchors, moorings and surface buoys have been developed to reduce the risk of loss. * Weak links in some gear designs minimize the proportion of gear that is lost. For example, in bottom trawls, weak links can be incorporated so that lower panels or fragments of the lower panels of the trawl break away when the trawl snags on a bottom feature (on rough seabed or debris) instead of losing the entire trawl net. Weak links can reduce gear loss when large organisms entangle in gear, such as by incorporating a weak link into the float lines of pot and gillnet gear, so that just the floatline is lost instead of an entangled organism moving an entire string of pots or gillnet panels. * Submerged buoys and floatlines reduce the risk of loss from vessel strikes, as well as from theft and vandalism. * Minimizing the number and length of vertical lines in the water column of fixed gear, such as pots and gillnets, reduces whale entanglement risk and concomitant rate of lost gear. * Ropeless traps (eliminate vertical buoy lines) eliminate risk of gear loss from whale entanglement in the buoy lines (improvements in the technology may be needed to increase reliability for retrieval – current ropeless gear technology could exacerbate gear loss, as well as reduce costs).
Gear marking to enable supply chain traceability	<p>Individual gear components have built-in traceability, such as by embedding tracers into ropes or twine, or using color-coded lines, that enables identifying the manufacturer, year of production, type of gear component, etc. This enables retrieved ALDFG to be traced back through the supply chain, which might incentivize manufacturers to use materials that reduce the risk of loss and that reduce ghost fishing efficiency (see record for Extended Producer Responsibility schemes), and might incentivize fishers to not abandoned or discard and comply with requirements to report lost gear.</p>
Gear marking to identify ownership	<ul style="list-style-type: none"> * Gear marking to identify the owner or last user of ALDFG can create a disincentive for deliberate abandonment and discarding, incentive to retrieve lost gear, may make it more difficult to steal gear, and may create an incentive to report when gear is lost or abandoned. * May deter illegal fishing, which can be a driver for the production of ALDFG. * Marking techniques include: physical marks, color coded lines and twines, coloring with paint, tags, coded wire tags, radio frequency identification tags, Automatic Identification Systems, radio buoys and satellite buoys.
Gear marking to increase passive gear visibility	<ul style="list-style-type: none"> * Making passive gear visible reduces navigational risks to vessel operators, which can reduce the risk of gear loss from damage by passing vessels and in-use gear. * FAO adopted <i>Voluntary Guidelines on the Marking of Fishing Gear</i> in 2019. * Marking techniques include radar reflectors, AIS beacons, high-flyer buoys, flags and lights.
Gear repair systems	<ul style="list-style-type: none"> * Frydendahl, a Danish net manufacturer, collects damaged nets at seaports, and if repairable, returns the refurbished nets. * Gear manufacturer Cosmos Trawl repairs trawl, seine and other gear types in port.

Mitigation and Enabling Methods	Examples
Gear supply chain traceability system and Extended Producer Responsibility schemes for fishing gear	<ul style="list-style-type: none"> * Companies in the supply chain of gear components provide for chain-of-custody traceability, documenting the transfer of ownership through the supply chain from manufacturer and assemblers to final point of sale. Retrieved ALDFG can be traced to the fishing vessel that last owned the gear who may have been required to report when it became derelict (but if the gear was subsequently used for fishing by another vessel, such as salvaging the gear after it was properly disposed of on land, derelict gear that was retrieved, or gear that was stolen, then it would not be feasible to identify the last fishing vessel that abandoned, lost or discarded it). * Before 2025, France, Germany and Italy plan to introduce requirements for Extended Producer Responsibility (EPR) schemes for fishing gear components made of plastic. A similar scheme is under consideration in the UK.
Gear technology that increases ghost fishing selectivity of ALDFG from passive gear	<ul style="list-style-type: none"> * Reducing anchored gillnet mesh size, profile and eliminating or increasing the length of tiedowns reduces marine turtle ghost fishing rates. * Using anchored gillnets with increased net tension might reduce the ghost fishing risk of large marine organisms. * Modifying trap entrances (e.g., use of collars, reduced size of the opening) can reduce the risk of entry and capture of threatened species (e.g., pinnipeds, sea otters, terrapins). * Using less- and non-entangling designs of fish aggregating devices may reduce ghost fishing mortalities of sharks, marine turtles and other species
*Management of waste produced when: (1) repairing and making up new gear onboard vessels at sea; (2) preparing gear for storage; and (3) processing offal, spent bait and discards prior to discarding overboard	<p>Manage these 3 sources of waste so that fishing gear does not accidentally get swept or intentionally discarded overboard.</p> <ul style="list-style-type: none"> * Include procedures in a MARPOL Garbage Management Plan to manage waste produced when repairing and making up new gear * Make receptacles available and conveniently located for practical disposal when crew make up new gear and repair damaged gear * Conduct routine deck cleaning and proper disposal of waste following making up new and repairing old gear * Inspect new gear prior to first use to remove and properly dispose of any loose fragments * Remove all gear from dead catch, offal and spent bait prior to discarding
More durable gear components	<ul style="list-style-type: none"> * Materials that reduce rates of breaking moorings * More durable buoys and floatlines to reduce the risk of loss from vessel strikes * Reduce the risk of gear loss from catch escaping with gear attached (resulting in increased catch rates of those species) such as using wire and multifilament for branchline leaders to reduce bite-off rates <p>(Note - some more durable fishing gear components may have a longer duration of ghost fishing efficiency)</p>
Prohibitions on the use of hazardous materials (e.g., lead, copper coating and other antifouling agents) in fishing gear components	<p>Banning the use of hazardous materials in fishing gear to reduce the dispersal and transfer of toxins derived from ALDFG into marine food webs, and risk of ingestion of toxic components of ALDFG.</p> <ul style="list-style-type: none"> * Danish Statutory Order no. 856 (2009) prohibits the import and sale of products containing lead, including for commercial and recreational fishing gear and equipment.
Secure stowing of gear onboard	<p>Stow gear onboard in a manner that reduces risks of being swept overboard during rough conditions</p>

Mitigation and Enabling Methods	Examples
Technology to reduce unwanted gear contact with the seabed	Use of Global Positioning System (GPS), seabed mapping and other technology reduces the likelihood of gear loss from contact with the seabed.
Technology to track gear position	<ul style="list-style-type: none"> * Active pingers (transponders) and passive reflectors are the two main types of acoustic technology to locate fishing gear. * Marking static gear with Automatic Identification System (AIS) beacons, in addition to tracking the position of the gear and relocating temporarily lost gear, allows fishers to detect when other vessels are approaching their gear so that they can attempt to avoid collision with their gear * Satellite buoys attached to dFADs enable real-time tracking of position * Radio buoys attached to pelagic longlines enable real-time tracking of position * Buoys enable visual tracking of passive gear position. Submerged buoys reduce the risk of loss from passing vessels and towed gear, and from theft.
Training, outreach and education for new entrants and periodic refreshers	<p>Providing training, education and outreach opportunities for new entrants to fisheries, and periodic refresher training, can increase or develop a conservation ethic, incentivizing fishers' use of best practice ALDFG mitigation methods that increase fishers' capacity to employ current best practice mitigation methods, augment their ability to recover gear when temporarily lost or abandoned, and use gear designs and methods that avoid and reduce adverse consequences of ALDFG.</p> <ul style="list-style-type: none"> * More experienced Indian gillnet and trammel net fishers had lower rates of gear loss and abandonment. * Fishers have identified training crew in gear management practices as a priority for ALDFG prevention.
Degradable and less durable gear	<ul style="list-style-type: none"> * Biodegradable components for gear types that are made of synthetic materials, including traps, dFADs and gillnet netting, are under research and development * Escape panels and cords using untreated twine and rings and galvanic timed releases can be used to reduce ghost fishing duration by traps * Corrodible hooks can reduce the risk of ghost fishing mortalities by hook-and-line fisheries. * Biodegradable floats and biodegradable links in floatlines could reduce the ghost fishing duration of derelict anchored nets. <ul style="list-style-type: none"> * Using less-durable materials for relevant gear components (e.g., thinner net twine diameter and weaker material, 'weak' hooks with narrower wire diameter) to produce a breaking strength that allows large organisms to break free of the gear and escape might reduce the risk of ghost fishing and risk of mortality following escapement from ALDFG.
*Disabling of ghost fishing efficiency of reported/detected ALDFG	<ul style="list-style-type: none"> * Derelict gear detection methods include: satellite buoy data, aerial surveillance, boat surveys, acoustic sonar, remotely operated vehicles, diver and snorkeler surveys, and surveys of fishers and other experts. * Programs may sweep fishing grounds with a trawl or other gear to disable derelict gear, reducing or possibly eliminating its ghost fishing efficiency.

Mitigation and Enabling Methods	Examples
*Port reception and recycling facilities for ALDFG, convenient and affordable	<ul style="list-style-type: none"> * Provide a convenient and affordable method for vessels to properly dispose of their retired gear and ALDFG that they encounter and retrieve at sea. * MARPOL Annex V Regulation 8 obligates governments to provide adequate port reception facilities for garbage from ships and to facilitate and promote their use. * IMO maintains a <i>Port Reception Facility Database</i> * The fishing gear manufacturing company Cosmos Trawl collects end-of-life nets, dismantles them, and sends recyclable components to recycling facilities. * Fisheries Iceland collects retired and discarded synthetic net fragments from purse seine and trawl vessels, of which about 90% is shipped to Lithuania for recycling, for subsequent use in electrical and automotive industries in Germany.
Materials for gear components that are recyclable	<p>This may result in a market for retired gear, incentivizing proper disposal.</p>
*Removal of reported/detected ALDFG	<p>Remove ALDFG that is detected inadvertently or by programs that search for ALDFG. Removal can be conducted by: normal gear hauling (e.g., for lost pots that retain surface buoys); sweeping with grapples or arrays of hooks, trawls, and other gear; vessel winches; remotely operated vehicles; divers, snorkelers and hookah; inflatable lift bags.</p> <ul style="list-style-type: none"> * A program in the Seychelles that tracks satellite buoy data to intercept derelict dFADs from a Spanish purse seine fishery before they run aground reduced beaching by 41%. The Spanish purse seine fishing association pays for implementation of the program. * A program in the Puget Sound, Washington, locates derelict shellfish pots using sidescan sonar with a differential global positioning system, which are subsequently removed * The Norwegian Directorate of Fisheries implements a lost gillnet detection and recovery program. Detection is conducted using fishing vessel VMS data, reports of lost gear, fisher surveys and boat surveys. The derelict gear is retrieved by sweeping with anchors attached to a trawl. * The Republic of Korea pays fishers to retrieve derelict gear and other debris from coastal fishing grounds and deliver it to port reception facilities. * One-off efforts, such as for research studies, have conducted ALDFG retrieval from fishing grounds.
*Requirement for fisher reporting of gear that they lost, abandoned or discarded (such as required under MARPOL Annex V ⁴)	<ul style="list-style-type: none"> * Under MARPOL Annex V, fishing vessel operators are required to record discarded and lost fishing gear in a garbage record book or ship's log, and to report to relevant authorities when it, "poses a significant threat to the marine environment and navigation," as determined by member States. * Some regional fishery bodies and agreements require fishers to report lost gear that could not be retrieved. * Mechanisms for fishers to report their ALDFG or that they encounter at sea, including "no fault" reporting that eliminates penalties for losing gear that would present a disincentive for reporting, can lead to quick identification and retrieval of ALDFG, if derelict gear retrieval programs exist.

Mitigation and Enabling Methods	Examples
*Requirements for fishers to: (1) possess equipment to retrieve ALDFG, (2) obtain training on how to retrieve ALDFG, and (3) attempt to retrieve ALDFG that they produced or that they encounter at sea, when safe.	<ul style="list-style-type: none"> * Some fishery bodies require fishing vessels to possess specified equipment for ALDFG retrieval, require vessels to attempt to retrieve their derelict gear, and to attempt to retrieve derelict gear that they encounter at sea. * Eliminating barriers to fisher collection of ALDFG that they encounter at sea, such as license agreements that prohibit possession of additional or unmarked gear. * Eliminating barriers to fisher retrieval of gear that drifts into restricted areas (e.g., dFADs used by tuna purse seine vessels enter an EEZ of a country where they are not licensed to fish) can reduce gear abandonment.
*Technology to detect temporarily lost and abandoned gear	<ul style="list-style-type: none"> * Technology can provide an alert when anchored gear moves position, so that the temporarily lost gear can be located and recovered. * Sidescan sonar may enable locating lost pots and nets. * Pingers and pinger detectors can locate lost gear. * Creeping (sweeping) with grapples, anchors or other gear around the area where gear, such as a string of pots, was lost.
*ALDFG rate or magnitude limit, fleet- or vessel-based, where the latter could be individual transferable ALDFG quotas	<p>A performance standard measure for managing ALDFG, ALDFG quotas could be instituted through individual vessel non-transferable quotas, individual transferable quotas similar to individual transferable quotas or catch shares for target species, or fleetwide thresholds. Rewards, penalties, and a combination of these approaches can be used as a consequence of exceeding the quota, such as requiring more stringent monitoring or mitigation methods. By leaving it up to fishers to determine how they avoid exceeding a limit, this allows for flexibility for individual participants in a fishery to select approaches that they prefer, and might incentivize fishers' innovation of more effective and commercially viable ALDFG mitigation methods.</p>
*Negative incentives - penalties	<ul style="list-style-type: none"> * Mandatory deposit on new gear is not reimbursed if retired gear is not returned * Government owns gear and lease to fishing company, fined if not returned * No subsidies on new gear * Higher tax on new gear if old/retired gear is not returned * In combination with or in place of 'Rewards', individual vessels or a fishery could be assessed a levy (tax) per unit of ALDFG produced per year, or could be assessed a penalty if an ALDFG production limit (quota) is exceeded or if they do not comply with required ALDFG monitoring or mitigation measures. Other options for penalties include: reducing or withholding subsidies, reducing the allocation of effort or catch quotas for fisheries with effort or catch limits, reducing access to certain fishing grounds or seasons, increasing permit or license fees, and increasing export or other taxes. Negative market reputation risk is an additional cost.
*Positive incentives - rewards	<ul style="list-style-type: none"> * Retired (old, damaged) gear buyback programs (e.g., trawl fishers of the island of Texel in the Netherlands are paid for nylon dolly ropes collected at sea) * Fee/reward for retrieving ALDFG encountered at sea * Ecolabeling, including certification against ecological sustainability standards that include robust criteria for monitoring and managing ALDFG (e.g., Marine Stewardship Council, Monterey Bay Seafood Watch Program) * Subsidy or discount on new gear when old/retired gear is returned

Mitigation and Enabling Methods	Examples
Robust ALDFG management framework control, surveillance, enforcement and outcomes of enforcement actions, including implementation of MARPOL Annex V ban on abandonment and discarding of fishing gear ⁵	<p> In combination with or in place of ‘Penalties’, individual vessels or a fishery could receive a reward if an ALDFG production limit is met, or if they participate in voluntary ALDFG research or implement optional ALDFG monitoring or mitigation measures. Options for rewards include: providing or increasing subsidies, increasing the allocation of effort or catch quotas for fisheries with effort or catch limits, access to fishing grounds or seasons that would otherwise be unavailable, reducing permit or license fees, and reducing export or other taxes. Positive market branding is an additional incentive.</p> <p>* National frameworks to implement the international prohibition on intentional abandonment and discarding of fishing gear at sea under MARPOL Annex V can be effective deterrents given robust monitoring, control, surveillance and enforcement systems that deter noncompliance.</p> <p>* Several regional bodies (e.g., Commission for the Conservation of Antarctic Marine Living Resources, International Commission for the Conservation of Atlantic Tunas, Northwest Atlantic Fisheries Organization, Western and Central Pacific Fisheries Commission) have adopted binding measures that reiterate or expand on MARPOL Annex V prohibitions, such as a ban on discarding and abandoning fishing gear and any plastic, requirement to attempt to retrieve lost gear, requirement to report lost gear, and requirement to remove hooks from offal before discharging.</p> <p>* The fisheries management framework could eliminate perverse incentives for non-compliance with ALDFG mitigation methods, such as subsidies on new gear</p>

¹ Blyth et al., 2002; MacMullen et al., 2003; Brown et al., 2005; Johnson et al., 2005; Macfadyen et al., 2009; Suuronen et al., 2012; Knowlton et al., 2015; Wilcox et al., 2015; Gilman, 2015, 2016; Drinkwin, 2017; Fisheries Iceland, 2017; Huntington, 2017; Mengo, 2017; WCPFC, 2017; Broadhurst and Millar, 2018; He and Suuronen, 2018; Zudaire et al., 2018; ICCAT, 2019; IMO, 2011, 2017, 2019; ISSF, 2019; Lebon and Kelly, 2019; Myers et al., 2019; Broderick et al., 2020; Grimaldo et al., 2020; Metcalfe and Bentley, 2020; OSPAR, 2020; Randall, 2020; Thomas et al., 2020; Blue Marine Foundation, 2021; Escalle et al., 2021a,b; FAO, 2021; Gilman et al., 2010, 2016, 2018, 2021; Goodman et al., 2019, 2021; Imzilen et al., 2021; Moazzam et al., 2021; OECD, 2021; Richardson et al., 2021; Stevens, 2021.

² The *2017 Guidelines for the Implementation of MARPOL Annex V* (IMO, 2017) clarify that Party’s governments should determine if accidentally lost and discarded fishing gear is required to be reported under Annex V Regulation 10.6 by considering factors including: (i) the amount of lost and discarded gear; (ii) the conditions of the marine environment where it was lost or discarded; (iii) the characteristics of the lost gear, including types, weight and/or length, quantity, material, and buoyancy; and (iv) the vulnerability of habitat and protected species to gear interactions in the location where the gear was lost/discarded. The IMO guidelines use the example of “whole or nearly whole large fishing gear or other large portions of gear” as derelict fishing gear that could be considered to meet the Annex V Regulation 10.6 definition of posing “a significant threat to the marine environment and navigation” (IMO, 2017).

³ The International Convention for the Prevention of Pollution from Ships (MARPOL) Annex V generally prohibits the discharge of all garbage into the sea. Regulation 3 prohibits the disposal of all plastics, including fishing gear, into the sea in all locations (IMO, 2011, 2017). Regulation 7 defines exceptions to the prohibitions during emergency and non-routine situations, and additional exceptions are provided in regulations 4, 5, and 6 of the Annex, which are related to food waste, cargo residues, cleaning agents and additives and animal carcasses. The MARPOL Annex V implementation guidelines (Section 1.7.8 in IMO, 2017) clarify that, “Fishing gear that is released into the water with the intention of later retrieval, such as fish aggregating devices (FADs), traps and static nets, should not be considered garbage or accidental loss.” This clause is likely intended to apply to all untended in-use fishing gear, but not to untended gear that fishers set but do not retrieve either due to accidental loss or intentional abandonment, and that fishers intentionally discard at sea.

S3. GLOSSARY

Table S2 contains a glossary of technical terms and acronyms used in the article.

Table S2. Glossary of technical terms and acronyms.

Term/acronym	Definition
Abandoned fishing gear	Fishing gear that has been deployed at sea for fishing over which an operator or owner has control and could retrieve, but deliberately leaves at sea.
aFAD	Anchored fish aggregating device
AIS	Automatic Identification System
ALDFG	Abandoned, lost and discarded fishing gear, also referred to as derelict fishing gear
ALDFG avoidance	Tier 1 of a sequential ALDFG mitigation hierarchy. Methods that completely prevent a cause of derelict gear generation within the scope of the intervention.
ALDFG minimization	Tier 2 of a sequential ALDFG mitigation hierarchy. Methods that either: (1) reduce rates of generating ALDFG, (2) reduce fishing effort, which reduces the magnitude of derelict gear created, or (3) reduce adverse effects caused by ALDFG
ALDFG remediation	Tier 3 of a sequential ALDFG mitigation hierarchy. Methods that halt one or more adverse effect of ALDFG
ALDFG offset	Tier 4 of a sequential ALDFG mitigation hierarchy. Methods that produce ecological and socioeconomic gains that are at least equivalent, or more than equivalent, to the residual impacts from ALDFG that were not avoided, minimized and remediated
ALDFG mitigation enabling measures	Interventions that incentivize the implementation of ALDFG mitigation measures. These include market-based measures and governance enabling measures, including from command-and-control frameworks of large-scale industrial fisheries and community-based self-governance and co-management frameworks of small-scale fisheries that incentivize compliance with ALDFG mitigation measure and disincentivize noncompliance.
dFAD	Drifting fish aggregating device
Discarded fishing gear	Fishing gear that fishers deliberately release into the sea without any attempt for further control or recovery, and does not recover
FAD	Fish aggregating device
GESAMP	Joint Group of Experts on the Scientific Aspects of Marine Environmental Protection
Ghost fishing	The capture of organisms in ALDFG
Lost fishing gear	Fishing gear over which an operator or owner has accidentally lost the ability to locate and/or recover and does not recover
Marine debris	“Any persistent, manufactured or processed solid material discarded, disposed of or abandoned in the marine and coastal environment as a result of human activity” and is also referred to as marine litter,” (GESAMP, 2021)
MARPOL	International Convention for the Prevention of Pollution from Ships
Sweeping	Also referred to as creeping, drag a grapple, arrays of hooks, anchors, or other device, or fish with a trawl or other gear, around fishing grounds to retrieve or disable fishing gear.
Tiedown	Used in some anchored gillnets – called a tie-down gillnet, a tiedown is a vertical line that connects the headline (also called the headrope) and footrope, reducing the vertical height, increasing the slackness and creating a bag of netting.
Trap tending	Retrieving and servicing fishing traps

S4. REFERENCES

- Arlidge, W., et al. 2018. A global mitigation hierarchy for nature conservation. *BioScience* 68: 336–347.
- Arlidge, W., Squires, D., Alfaro-Shigueto, J., Booth, H., Mangel, J., Milner-Gulland, E. 2020. A mitigation hierarchy approach for managing sea turtle captures in small-scale fisheries. *Frontiers in Marine Science* 7: 49. doi: 10.3389/fmars.2020.00049.
- BBOP. 2012. *Standard on Biodiversity Offsets*. Business and Biodiversity Offsets Programme, Washington, DC.
- Blue Marine Foundation. 2021. *Safegear Project Report*. Blue Marine Foundation, London.
- Blyth, R.E., Kaiser, M.J., Edwards-Jones, G., Hart, P. 2002. Voluntary management in an inshore fishery has conservation benefits. *Environmental Conservation* 29: 493–508.
- Booth, H., Squires, D., Milner-Gulland, E. 2020. The mitigation hierarchy for sharks: A risk-based framework for reconciling trade-offs between shark conservation and fisheries objectives. *Fish and Fisheries* 2: 269-289.
- Broadhurst, M., Millar, R. 2018. Relative ghost fishing of portunid traps with and without escape gaps. *Fisheries Research* 208: 202-209.
- Broderick, P., Drugan, J., Lincoln, R. 2020. *Ghost Gear Legislation Analysis*. World Wide Fund for Nature, Gland, Switzerland.
- Brown, J., Macfadyen, G., Huntington, T., Magnus, J., Tumilty, J. 2005. *Ghost Fishing by Lost Fishing Gear*. Report to DG Fisheries and Maritime Affairs, European Commission. Fish/2004/20. Institute for European Environmental Policy and Poseidon Aquatic Resource Management Ltd., Brussels, Belgium and Lymington, UK.
- Coralie, C., Guillaume, O., Claude, N. 2015. Tracking the origins and development of biodiversity offsetting in academic research and its implications for conservation: A review. *Biological Conservation* 192: 492-503.
- Drinkwin, J. 2017. *Methods to Locate Derelict Fishing Gear in Marine Waters*. Global Ghost Fishing Initiative, World Animal Protection, London.
- Ermgassen, S., Baker, J., Griffiths, R., Strange, N., Struebig, M., Bull, J. 2019. The ecological outcomes of biodiversity offsets under “no net loss” policies: A global review. *Conservation Letters* 12:e12664
- Escalle, L., Hare, S., Hamer, P., Pilling, G. 2021a. *Pacific dFAD Retrieval Feasibility Study*. WCPFC-SC17-2021/EB-IP-17. Western and Central Pacific Fisheries Commission, Kolonia, Federated States of Micronesia.
- Escalle, L., Moreno, G., Hamer, P. 2021b. *Report of Project 110: Non-entangling and Biodegradable FAD Trial in the Western and Central Pacific Ocean*. WCPFC-SC17-2021/EB-IP-03. Western and Central Pacific Fisheries Commission, Kolonia, Federated States of Micronesia.
- FAO. 2021. *Checklists and Technical Guidelines to Combat Illegal, Unreported and Unregulated (IUU) Fishing. Volume I: A Consolidated Checklist of Coastal, Flag and Port State Responsibilities to Combat Illegal, Unreported and Unregulated (IUU) Fishing*. Food and Agriculture Organization of the United Nations, Rome.
- Fisheries Iceland. 2017. *Resource Utilization and Environmental Footprint*. FI Environmental Report. Fisheries Iceland, Reykjavik.
- GESAMP. 2021. *Sea-Based Sources of Marine Litter*. Joint Group of Experts on the Scientific Aspects of Marine Environmental Protection. International Maritime Organization, London.
- Gilman, E. 2015. Status of international monitoring and management of abandoned, lost and discarded fishing gear and ghost fishing. *Marine Policy* 60: 225-239.
- Gilman, E. 2016. Biodegradable fishing gear: part of the solution to ghost fishing and marine pollution. *Animal Conservation* 19:320–321.
- Gilman, E., et al. 2018. Stakeholder Views on Methods to Identify Ownership and Track the Position of Drifting Fish Aggregating Devices Used by Tuna Purse Seine Fisheries with Reference to FAO's Draft Guidelines on the Marking of Fishing Gear. FAO Fisheries Circular 1163. Food and Agriculture Organization of the United Nations, Rome.
- Gilman, E., Chopin, F., Suuronen, P., Kuemlanguan, B. 2016. *Abandoned, Lost and Discarded Gillnets and Trammel Nets. Methods to Estimate Ghost Fishing Mortality, and Status of Regional Monitoring and Management*. FAO Fisheries and Aquaculture Technical Paper 600. ISBN 978-92-5-108917-0. Food and Agriculture Organization of the United Nations, Rome
- Gilman, E., et al. 2010. Mitigating sea turtle bycatch in coastal passive net fisheries. *Fish and Fisheries* 11: 57–88.

- Gilman, E., Musyl, M., Suuronen, P., Chaloupka, M., Gorgin, S., Wilson, J., Kuczynski, B. 2021. Highest risk abandoned, lost and discarded fishing gear. *Scientific Reports* DOI: 10.1038/s41598-021-86123-3.
- Gilman, E., Passfield, K., Nakamura, K. 2014. Performance of regional fisheries management organizations: ecosystem-based governance of bycatch and discards. *Fish and Fisheries* 15: 327-351.
- Goodman, A., Brillant, S., Walker, T., Bailey, M., Callaghan, C. 2019. A ghostly issue: Managing abandoned, lost and discarded lobster fishing gear in the Bay of Fundy in Eastern Canada. *Ocean & Coastal Management* 181: 104926.
- Goodman, A., McIntyre, J., Smith, A., Fulton, L., Walker, T., Brown, C. 2021. Retrieval of abandoned, lost, and discarded fishing gear in Southwest Nova Scotia, Canada: Preliminary environmental and economic impacts to the commercial lobster industry. *Marine Pollution Bulletin* 171: 112766.
- Grimaldo E, et al. 2020. The effect of long-term use on the catch efficiency of biodegradable gillnets. *Marine Pollution Bulletin* 161: 111823.
- He, P., Suuronen, P. 2018. Technologies for the marking of fishing gear to identify gear components entangled on marine animals and to reduce abandoned, lost or otherwise discarded fishing gear. *Marine Pollution Bulletin* 129: 253-261.
- Huntington, T. 2017. *Development of a Best Practice Framework for the Management of Fishing Gear. Part 2. Best Practice Framework for the Management of Fishing Gear.* Global Ghost Gear Initiative, World Animal Protection, London.
- ICCAT. 2019. *Recommendation by ICCAT on Abandoned, Lost or Otherwise Discarded Fishing Gear.* Recommendation 19-11. International Convention for the Conservation of Atlantic Tunas, Madrid.
- IMO. 2011. *Annex 13. Resolution MEPC.201(62). Adopted on 15 July 2011. Amendments to the Annex of the Protocol of 1978 Relating to the International Convention for the Prevention of Pollution from Ships, 1973. (Revised MARPOL Annex V).* MEPC 62/24. Marine Environment Protection Committee, International Maritime Organization, London.
- IMO. 2017. *Annex 21. Resolution MEPC.295(71). Adopted on 7 July 2017. 2017 Guidelines for the Implementation of MARPOL Annex V.* Marine Environment Protection Committee, International Maritime Organization, London.
- IMO. 2019. *GSIS Port Reception Facility Database.* International Maritime Organization, London.
- Imzilen, T., Lett, C., Chassot, E., Kaplan, D. 2021. Spatial management can significantly reduce dFAD beachings in Indian and Atlantic Ocean tropical tuna purse seine fisheries. *Biological Conservation* 254:108939.
- ISSF. 2019. *Non-Entangling and Biodegradable FADs Guide.* International Seafood Sustainability Foundation, Washington, D.C.
- IUCN. 2016. *IUCN Policy on Biodiversity Offsets.* Annex 1 to WCC-2016-Res-059-EN. International Union for the Conservation of Nature, Gland, Switzerland.
- Johnson, A., et al. 2005. Fishing gear involved in entanglements of right and humpback whales. *Marine Mammal Science* 21: 635-645.
- Knowlton, A., Robbins, J., Landry, S., McKenna, H., Kraus, S., Wener, T. 2015. Effects of fishing rope strength on the severity of large whale entanglements. *Conservation Biology* 30: 318-328.
- Lebon, K., Kelly, R. 2019. Evaluating alternatives to reduce whale entanglements in commercial Dungeness Crab fishing gear. *Global Ecology* 18: e00608.
- Macfadyen, G., Huntington, T., Cappel, R. 2009. *Abandoned, Lost or Otherwise Discarded Fishing Gear.* UNEP Regional Seas Reports and Studies 185. FAO Fisheries and Aquaculture Technical Paper 523. ISBN 978-92-5-106196-1. United Nations Environment Programme and Food and Agriculture Organization of the United Nations, Nairobi and Rome.
- MacMullen, P., et al. 2003. *A Study to Identify, Quantify and Ameliorate the Impacts of Static Gear Lost at Sea.* FANTARED 2. Sea Fish Industry Authority, Hull, UK.
- Maron, M., et al. 2020. Global no net loss of natural ecosystems. *Nature Ecology and Evolution* 4: 46-49.
- Maseyk, F., et al. 2016. A disaggregated biodiversity offset accounting model to improve estimation of ecological equivalency and no net loss. *Biological Conservation* 204: 322–332.
- Mengo, E. 2017. *A Review of Marine Litter Management Practices for the Fishing Industry in the North-East Atlantic Area.* Report for OSPAR Action 36. Centre for Environment Fisheries & Aquaculture Science, Lowestoft, Suffolk, UK.
- Metcalfe, R., Bentley, A. 2020. *Net Cuttings Waste from Fishing in the North-East Atlantic: Best Practices for Mitigation.* Prepared for the Swedish Agency for Marine and Water Management. KIMO International, Shetland, UK.
- Milner-Gulland, E, et al. 2018. Translating the terrestrial mitigation hierarchy to marine megafauna by-catch. *Fish and Fisheries* 19: 547-561.

- Moazzam, M., Gallagher, A., Aisha, H., Nawaz, R., Rasheed, T. 2021. *Contribution of Tuna Gillnet Fisheries of Pakistan towards Abandoned, Lost or Otherwise Discarded Fishing Gears (ALDFG)*. IOTC-2021-WPEB19(AS)-19. Indian Ocean Tuna Commission, Mahe, Seychelles.
- Myers, H., et al. 2019. Ropeless fishing to prevent large whale entanglements: Ropeless Consortium report. *Marine Policy* 107: 103587.
- NEPA. 1969. *U.S. National Environmental Policy Act Guidelines of 1969, as amended*. U.S. Congress, Washington, D.C.
- OECD. 2021. *Towards G7 Action to Combat Ghost Fishing Gear*. OECD Environment Policy Paper No. 25. Organisation for Economic Cooperation and Development, OECD Environment Directorate, Paris.
- OSPAR. 2020. *OSPAR Scoping Study on Best Practices for the Design and Recycling of Fishing Gear as a Means to Reduce Quantities of Fishing Gear Found as Marine Litter in the North-East Atlantic*. OSPAR Commission, London.
- Randall, P. 2020. *South African Marine Fisheries and Abandoned, Lost and Discarded Fishing Gear*. Center for Environment, Fisheries and Aquaculture Science, Lowestoft, UK.
- Richardson, K., Hardesty, B., Vince, J., Wilcox, C. 2021. Global causes, drivers, and prevention measures for lost fishing gear. *Frontiers in Marine Science* doi: 10.3389/fmars.2021.6900447.
- Squires, D., Lent, R., Dutton, P., Dagorn, L., Balance, L. 2021. Credit systems for bycatch and biodiversity conservation. *Frontiers in Marine Science* doi: 10.3389/fmars.2021.613279.
- Stevens, B. 2021. The ups and downs of traps: environmental impacts, entanglement, mitigation and the future of trap fishing for crustaceans and fish. *ICES Journal of Marine Science* 78: 584-596.
- Suuronen, P., et al. 2012. Low impact and fuel-efficient fishing—Looking beyond the horizon. *Fisheries Research* 119–120: 135–146.
- Thomas, S., et al. 2020. *Food and Gear Loss from Selected Gillnet and Trammel Net Fisheries of India*. FAO Fisheries and Aquaculture Circular No. 1204. Food and Agriculture Organization of the United Nations, Rome.
- UNEP-WCMC. 2016. *Marine No Net Loss: A Feasibility Assessment of Implementing No Net Loss of Biodiversity in the Sea*. United Nations Environment Programme, Cambridge.
- WCPFC. 2017. *Conservation and Management Measure on Marine Pollution*. CMM 2017-04. Western and Central Pacific Fisheries Commission, Kolonia, Federated States of Micronesia.
- Wilcox, C., Heathcote, G., Goldberg, J., Gunn, R., Peel, D., Hardesty, B. 2015. Understanding the sources and effects of abandoned, lost, and discarded fishing gear on marine turtles in northern Australia. *Conservation Biology* 29:198-206.
- Zudaire, I., et al. 2018. *FAD Watch: A Collaborative Initiative to Minimize the Impact of FADs in Coastal Ecosystems*. IOTC-2018-WPEB14-12. Indian Ocean Tuna Commission, Mahe, Seychelles.