

© Pacific Community, 2016

These identification cards are produced by the Pacific Community (SPC) to help with the identification of species of special interest (protected species) encountered by Fisheries Observers while onboard commercial tuna boats that fish in the western and central Pacific Ocean (WCPO). The species included in these cards are the ones commonly recorded by observers on tuna vessels operating in the WCPO. The cards can be easily accessed by observers while working on deck during fishing operations to verify and correctly identify species. The cards also assist in training observers operating within the Western and Central Pacific Fisheries Commission Convention Area

Printing of these cards was made possible through financial assistance provided by the Japan Trust Fund.

This project was coordinated by SPC's Oceanic Fisheries Programme Fisheries Monitoring Section and Fisheries Information Section. Colour illustrations by Hazel Adams (p. 4-8), Youngmi Choi (p. 11-38); black and white illustrations courtesy of the Food and Agriculture Organization of the United Nations (FAO).

This publication is based on the Marine species identification manual for horizontal longline fishermen by Chapman et al. (2006). First published – 2006. Original text: English

Pacific Community Cataloguing-in-publication data

Pacific Islands Regional Fisheries Observers (PIRFO): whale, dolphin and sea birds ID cards for Pacific Islands Regional Fisherries Observers / prepared by the Pacific Community


- 1 Marine fishes Identification Oceania
- 2 Marine fishes Classification Oceania
- 3 Marine mammals Identification Oceania

4. Fishery management - Oceania. 5 Fishes - Identification - Oceania

I. Title II. Pacific Community 597.0995 ISBN: 978-982-00-0994-3

AACR2

Baleen whales



Baleen whales 3

Baleen whales 4

Blue whale

Balaenoptera musculus




Body blue/grey mottled colouration



Maximum length: 30 m


Fin whale

Balaenoptera physalus



Baleen whales


Baleen whales 6



SIW

Maximum length: 18 m

Bryde's whaleBalaenoptera edeni




Baleen whales

Baleen whales 8

Minke whale

Balaenoptera acutorostrata




MIW

Maximum length: 9 m

Humpback whale

Megaptera novaeangliae





Maximum length: 16 m

Baleen whales


Toothed whales 10

Toothed whales

Cape (colour, depth and size may depend on sex, age, life status and where they are seen in the water) Forehead (melon) Dorsal fin (falcate – shaped like a sickle) Blowhole Far Beak or rostrum Fluke notch Flukes Mouth line Crease Mammary slits (female only) Mouth Uro-genital slit Navel Belly Flipper

Sperm whale

Physeter macrocephalus






Maximum length: 18 m

Toothed whales

Toothed whales 12

Pygmy sperm whale

Kogia breviceps






Maximum length: 3.7 m

Dwarf sperm whale

Kogia simus






Maximum length: 2.7 m

Toothed whales

Toothed whales

Cuvier's beaked whale


Ziphius cavirostris





Maximum length: 7 m

Blainville's beaked whale





Maximum length: 5 m

Toothed whales

Toothed whales 16

False killer whale


Pseudorca crassidens Dorsal fin with pointed tip, located mid-back Indistinct cape when viewed from boat Long slim tapered head Dark body Straight mouth line

Distinctive hump on front margin of flippers



Maximum length: 6 m

Short finned pilot whales






Maximum length: 6 m

Toothed whales

Toothed whales 18

Melon-headed Whale


Peponocephala electra





Maximum length: 2.7 m

Pygmy Killer Whale




KPW

Maximum length: 3 m

Toothed whales


Dolphins 20

Dolphins



Long beaked common Dolphin

Delphinus capensis






Maximum length: 2.4 m

Dolphins 2


Dolphins

Short beaked common dolphin



Striped Dolphin

Stenella coeruleoalba



DST


Maximum length: 2.6 m

Dolphins

Dolphins 24

Indo - Pacific bottle nose dolphin


Tursiops aduncus





Common bottle-nose dolphin

tursiops truncatus






Maximum length: 3.8 m

Dolphins 25

Dolphins 26


Pantropical Spotted Dolphin





Maximum length: 2.6 m

Spinner Dolphin






Maximum length: 2.1 m

Dolphins 2:

Dolphins 28

Fraser's Dolphin

Lagenodelphis hosei




FDR

Maximum length: 2.7 m

Rough-toothed Dolphin

Steno bredanensis






Maximum length: 2.8 m

Dolphins 2

Dolphins 30


Risso's Dolphin

Grampus griseus





Maximum length: 4 m






Maximum length: 9 m

Dolphins 3


Sea birds

Sea birds



Black-footed albatross

Diomedea nigripes





Northern hemisphere distribution

Sea Birds

Sea birds 34

Laysan albatross





White head, neck and stomach

Northern hemisphere distribution

Albatrosses

Diomedeidae

Species in this family have:

- · Large hooked bill
- Large birds
- Wing span up to 3.5 m

• External nostrils at base of bill, one on each side



(ALZ)

Sea Birds

Sea birds





Procellariidae

Species in this family have:

• Most species smaller in size (wing span up to 1.5 m, but mainly less than 1 m) except for giant petrel (wing span up to 2.5 m)

• Nostrils united in a single tube

on top of bill





Gulls, Terns and Skuas

Laridae

Species in this family have:

- · Generally smaller birds (wing span up to 1 m), with skuas larger (wing span up to 1.8 m)
- Nostrils are plain openings on either side of bill
- · Most birds have grey and white plumage, some with black on head and wings





| Index | | Fraser's Dolphin Gannets | 28 36 | Pseudorca crassidens Pygmy Killer Whale | 16 19 |
|----------------------------|----|------------------------------------|----------|--|----------|
| Albatrosses | 35 | Globicephala macrorhynchus | 17 | Pygmy sperm whale | 12 |
| Balaenoptera acutorostrata | 8 | Grampus griseus | 30 | Risso's Dolphin | 30 |
| Balaenoptera borealis | 6 | Gulls | 38 | Rough-toothed Dolphin | 29 |
| Balaenoptera edeni | 7 | Humpback whale | 9 | Sei whale | 6 |
| Balaenoptera musculus | 4 | Indo – Pacific bottle nose dolphin | 24 | Shearwaters | 37 |
| Balaenoptera physalus | 5 | Killer Whale | 31 | Short beaked common dolphin | 22 |
| Black-footed albatross | 33 | Kogia breviceps | 12 | Short finned pilot whales | 17 |
| Blainville's beaked whale | 15 | Kogia simus | 13 | Skuas | 38 |
| Blue whale | 4 | Lagenodelphis hosei | 28 | Sperm whale | 11 |
| Boobies | 36 | Laysan albatross | 34 | Spinner Dolphin | 27 |
| Bryde's whale | 7 | Laridae | 38 | Stenella attenuata | 26 |
| Common bottle-nose dolphin | 25 | Long beaked common Dolphin | 21 | Stenella coeruleoalba | 23 |
| Cuvier's beaked whale | 14 | Melon-headed Whale | 18 | Stenella longirostris | 27 |
| Delphinus capensis | 21 | Megaptera novaeangliae | 9 | Steno bredanensis | 29 |
| Delphinus delphis | 22 | Mesoplodon densirostris | 15 | Striped Dolphin | 23 |
| Diomedea immutabilis | 34 | Minke whale | 8 | Sulidae | 36 |
| Diomedea nigripes | 33 | Orcinus orca | 31 | Terns | 38 |
| Diomedeidae | 35 | Pantropical Spotted Dolphin | 26 | Tursiops aduncus | 24 |
| Dwarf sperm whale | 13 | Peponocephala electra | 18 | tursiops truncatus | 25 |
| False killer whale | 16 | Petrels | 37 | Ziphius cavirostris | 14 |
| Feresa attenuata | 19 | Physeter macrocephalus | 11 | | |
| Fin whale | 5 | Procellariidae | 37 | | |





PACIFIC COMMUNITY

BP D5 • 98848 NOUMEA CEDEX • NEW CALEDONIA

Telephone: +687 26 20 00 Facsimile: +687 26 38 18

Email: spc@spc.int http://www.spc.int/

Funding provided by the Japan Trust Fund of the Western and Central Pacific Fisheries Commission Prepared for publication at the Pacific Community headquarters, Noumea, New Caledonia, 2016 and printed in Australia by Norwood Industries Pty Ltd.